

CPR

Data Tabulations

Prepared for: University of Stirling

Prepared by: TNS

JN:132193

Date: 28th August 2015



Contents

| | |
|---|---|
| 1. Background and methodology | 1 |
| 2. Data tabulations | 2 |
| Appendix 1: Glossary of terms and notes on tables | |

1. Background and methodology

TNS was commissioned by the University of Stirling to conduct research into the Scottish population's knowledge, attitudes and behaviour in responding to cases of out of hospital cardiac arrest.

This research was conducted among the population of Scotland, using the TNS Omnibus, Scottish Opinion Survey, as the means of data collection. A sample of 1,027 adults aged 16+ was interviewed throughout Scotland over the period 5th – 18th August 2015. All interviews were conducted face-to-face, in-home using CAPI (Computer Assisted Personal Interviewing), using quota sampling.

To ensure that the sample was representative of the adult population in terms of age, sex and class, it was weighted to match population estimates from the BARB (Broadcasters' Audience Research Board) Establishment Report 2011, Mid-year population estimates 2011 and the 2001 Census. The sample profile, both unweighted and weighted, is shown below.

Table 1 – Sample Profile

| Base:1,027 | | Unweighted % | Weighted % |
|-------------------|--------|-------------------------|-----------------------|
| Gender | Male | 46% | 48% |
| | Female | 54% | 52% |
| Age | 16-24 | 11% | 14% |
| | 25-34 | 13% | 16% |
| | 35-44 | 14% | 16% |
| | 45-54 | 17% | 18% |
| | 55-64 | 13% | 15% |
| | 65+ | 31% | 21% |
| | SEG | AB | 20% |
| C1 | | 27% | 28% |
| C2 | | 21% | 20% |
| DE | | 33% | 30% |

Data tables in this document show both the weighted and unweighted base sizes at a total and sub-group level. The final questionnaire used in the survey follows as an appendix.

2. Data tabulations

Appendix : Glossary of terms and notes on tables

CAPI - Computer Assisted Personal Interviewing is conducted face-to-face, employing flat screen monitors similar to laptop computers. The questions appear on screen for the interviewer to ask the question and the appropriate response codes are keyed in directly according to the respondent's answers.

Fieldwork - The collection of primary data from respondents by means of a survey.

Mean scores - Mean scores are calculated by attributing a value to the response a respondent gives and the mean score gives an 'average' of the responses. e.g on a 5 point Agree strongly to Disagree Strongly scale, the values given are Agree strongly (+2), Agree slightly (+1), Neither agree nor disagree (0), Disagree slightly (-1), Disagree strongly (-2).

Quota - The specification to which respondents for interviews are recruited. This involves specifying the number of interviews required within certain groups - e.g. the number of males and females, those within certain age groups etc.

Sample - A part or subset of a population taken to be representative of the population as a whole for the investigative purposes of research.

Sample points - number of specific areas where the research took place - these are selected via our sampling unit to represent the geographic distribution of the population.

SEG - Social Economic Group. The standard six social grades, commonly used in research, are based on the current or previous occupation of the chief income earner in the household. ABC1 includes professional, managerial and non-manual occupations, while C2DE includes manual and unskilled occupations and the long-term unemployed.

Unweighted - the raw data or sample as collected, with no adjustments.

Weighted - Weighted data analyses adjust the raw survey data to represent the population from which the sample is drawn, in this instance, the adult population of the UK.

Notes on Tables

The unweighted samples (actual number of people interviewed) are shown in the top row of each table.

The weighted bases are shown in the second row of the table. The percentages are calculated on these weighted bases and all the other figures in the table are also weighted ones.

The tables show both actual numbers and percentages. These percentages are usually based on the column totals. If the percentages have been calculated by rows, then '100%' will appear opposite each row in the TOTAL column.

Percentages are rounded to the nearest whole number. This may cause some mutually exclusive categories to sum to slightly more than or less than 100%.

Any percentages calculated on small bases should be treated with caution as they may be subject to wide margins of sampling error. This is particularly true if the base comprises less than 100 respondents.

" - " Indicates a value of zero. " * " indicates a number or percentage less than 0.5.

For questions where more than one answer is allowed, the percentages representing different responses may well add to considerably more than 100%.

'Nets' or 'overcodes' are sometimes used to cover two or more responses. If a respondent has made more than one of these responses, he or she will only be counted *once* in the overcode total, which may therefore be less than the sum of the figures for the individual responses.

Where mean scores and standard errors have been calculated, the results will be shown at the foot of the table. If they have been calculated from the answers to a question in the form of a scale, the scores used will be shown next to each row label. When calculating mean scores, 'Don't know' responses are excluded from the calculations.

| Page | Table | Title | Base Description | Base |
|------|-------|---|--|------|
| 1 | 1 | Q.1 Have you ever been trained in CPR? | Base: All adults in Scotland | 1027 |
| 4 | 2 | Q.2 Which [ONE] of these best describes how you received your CPR training? | Base: All who have been trained in CPR | 506 |
| 7 | 3 | Q.3 When were you trained or when did you last have a refresher in CPR? | Base: All who have been trained in CPR | 506 |
| 10 | 4 | Q.4 Which of these statements best describe your feelings about CPR training? | Base: All who have not been trained in CPR | 521 |
| 13 | 5 | Q.5 Here are some of the reasons people are not trained in CPR. Which if any apply to you? | Base: All who have not been trained in CPR | 521 |
| 16 | 6 | Q.6 How would you know if someone required CPR? | Base: All adults in Scotland | 1027 |
| 22 | 7 | Q.7 How confident, if at all, would you be about giving someone CPR? | Base: All adults in Scotland | 1027 |
| 25 | 8 | Q.8 How confident would you be giving CPR if, after dialling 999, the call handler talked you through giving CPR? | Base: All adults in Scotland | 1027 |
| 28 | 9 | Q.9 What is your experience of administering CPR? | Base: All adults in Scotland | 1027 |
| 31 | 10 | Q.10 I'd like you to imagine that you are walking down the street and you see an average person collapse. They are unconscious, not breathing and have no pulse. If you were the only person there, how likely or unlikely is it that you would give this person CPR? | Base: All adults in Scotland | 1027 |
| 34 | 11 | Q.11 Here is a list of some of the reasons people would not give CPR, which if any apply to you? | Base: All adults in Scotland | 1027 |
| 37 | 12 | Q.12 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - SUMMARY TABLE | Base: All adults in Scotland | 1027 |
| 38 | 13 | Q.12_01 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - Everyone should be trained in CPR | Base: All adults in Scotland | 1027 |
| 41 | 14 | Q.12_02 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would rather try giving CPR than do nothing | Base: All adults in Scotland | 1027 |

| | Page | Table | Title | Base Description | Base |
|--|------|-------|---|------------------------------|------|
| | 44 | 15 | Q.12_03 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might make matters worse if I gave someone CPR | Base: All adults in Scotland | 1027 |
| | 47 | 16 | Q.12_04 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might be sued if I gave someone CPR | Base: All adults in Scotland | 1027 |

CPR (QS9823 - 731332/731232/731333/731233)

Q.1 Have you ever been trained in CPR?

Base: All adults in Scotland

| | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | | |
|-----------------|--------|------|--------|-------|-------|-------|-------|-------|-------|--------------|-----|-----|-----|-----|------|------|
| | Total | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Yes | 536 | 261 | 275 | 12 | 66 | 95 | 101 | 103 | 85 | 73 | 134 | 156 | 112 | 133 | 290 | 246 |
| | 52% | 53% | 52% | 46% | 54% | 59% | 60% | 56% | 55% | 35% | 61% | 54% | 54% | 43% | 57% | 48% |
| No | 488 | 232 | 255 | 14 | 54 | 65 | 66 | 80 | 71 | 138 | 87 | 135 | 95 | 170 | 222 | 265 |
| | 47% | 47% | 48% | 54% | 44% | 40% | 40% | 44% | 45% | 65% | 39% | 46% | 46% | 55% | 43% | 52% |
| Don't know | 3 | - | 3 | - | 2 | 1 | - | - | - | - | - | - | - | 3 | - | 3 |
| | * | - | 1% | - | 2% | 1% | - | - | - | - | - | - | - | 1% | - | 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.1 Have you ever been trained in CPR?

Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|-----------------|----------------|-------------------------------------|----------------|---------|----------------|-------|----------------|-----|-----|-----|-----------------|-----|------|
| | Total | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Yes | 536 | 300 | 236 | 325 | 211 | 165 | 370 | 117 | 190 | 113 | 116 | 466 | 70 |
| | 52% | 54% | 50% | 59% | 45% | 53% | 52% | 50% | 52% | 54% | 52% | 56% | 37% |
| No | 488 | 256 | 232 | 228 | 259 | 145 | 342 | 114 | 168 | 96 | 109 | 370 | 117 |
| | 47% | 46% | 49% | 41% | 55% | 47% | 48% | 50% | 47% | 46% | 48% | 44% | 63% |
| Don't know | 3 | 1 | 2 | 2 | 1 | - | 3 | - | 3 | - | - | 3 | - |
| | * | * | * | * | * | - | * | - | 1% | - | - | * | - |

CPR (QS9823 - 731332/731232/731333/731233)

Q.1 Have you ever been trained in CPR?

Base: All adults in Scotland

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|-----------------|------------|------------|----------------|--------------------|-------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Yes | 536 52% | 237 51% | 175 51% | 124 56% | 536 100% | - | 81 100% | 68 100% | 59 100% | 90 100% | 238 100% | - | - |
| No | 488 47% | 227 49% | 162 48% | 99 44% | - | 488 100% | - | - | - | - | - | 206 99% | 242 99% |
| Don't know | 3 * | - | 3 1% | - | - | - | - | - | - | - | - | 2 1% | 1 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.2 Which [ONE] of these best describes how you received your CPR training?

Base: All who have been trained in CPR

| | Total | GENDER | | AGE | | | | | | SOCIAL GRADE | | | | | | |
|--|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|------------|-----------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 506 | 238 | 268 | 10 | 50 | 79 | 87 | 96 | 71 | 113 | 113 | 146 | 112 | 135 | 259 | 247 |
| Weighted Base | 536 | 261 | 275 | 12 | 66 | 95 | 101 | 103 | 85 | 73 | 134 | 156 | 112 | 133 | 290 | 246 |
| I am required to be CPR trained as part of my job | 207 39% | 105 40% | 102 37% | - - | 17 26% | 43 45% | 38 38% | 47 45% | 31 36% | 31 42% | 51 38% | 62 40% | 53 47% | 41 31% | 113 39% | 94 38% |
| I opted to take a course or session organised through my work | 149 28% | 70 27% | 79 29% | - - | 11 16% | 23 24% | 29 29% | 25 24% | 34 39% | 28 38% | 41 30% | 51 32% | 30 27% | 28 21% | 91 32% | 58 23% |
| I opted to take a course or session organised through my voluntary work | 61 11% | 35 14% | 26 9% | - - | 8 11% | 11 11% | 14 14% | 15 15% | 8 9% | 6 8% | 20 15% | 18 11% | 6 6% | 17 13% | 38 13% | 23 9% |
| Through school | 64 12% | 33 13% | 31 11% | 11 91% | 26 40% | 10 11% | 4 4% | 9 9% | 3 3% | * 1% | 9 7% | 16 10% | 13 12% | 26 19% | 25 9% | 39 16% |
| I organised my own training by attending a course | 47 9% | 16 6% | 30 11% | 1 9% | 4 7% | 8 9% | 13 13% | 5 5% | 10 12% | 5 7% | 12 9% | 7 5% | 9 8% | 19 14% | 19 6% | 28 11% |
| I taught myself through the internet (e.g. YouTube, other website) or another self-learning tool | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| A family member or friend taught me | 4 1% | 1 * | 4 1% | - - | - - | - - | 1 1% | - - | - - | 3 4% | 2 1% | 1 * | - - | 2 1% | 2 1% | 2 1% |
| Don't know/Can't Remember | 4 1% | 1 * | 3 1% | - - | - - | - - | 1 1% | 3 3% | - - | - - | - - | 2 1% | - - | 2 1% | 2 1% | 2 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.2 Which [ONE] of these best describes how you received your CPR training?

Base: All who have been trained in CPR

| | Total | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | |
|--|------------|-------------------------------------|----------------|----------------|----------------|-----------|-------------|----------------|-----------|-----------|-----------|-----------------|-----------|
| | | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 506 | 272 | 234 | 262 | 244 | 144 | 362 | 128 | 180 | 99 | 99 | 427 | 79 |
| Weighted Base | 536 | 300 | 236 | 325 | 211 | 165 | 370 | 117 | 190 | 113 | 116 | 466 | 70 |
| I am required to be CPR trained as part of my job | 207 39% | 129 43% | 78 33% | 149 46% | 58 27% | 60 36% | 147 40% | 43 37% | 83 44% | 48 42% | 33 29% | 183 39% | 24 34% |
| I opted to take a course or session organised through my work | 149 28% | 94 31% | 55 23% | 91 28% | 58 28% | 51 31% | 98 26% | 32 27% | 53 28% | 26 23% | 38 32% | 129 28% | 21 29% |
| I opted to take a course or session organised through my voluntary work | 61 11% | 30 10% | 31 13% | 34 10% | 27 13% | 14 8% | 48 13% | 19 16% | 20 10% | 10 9% | 13 11% | 51 11% | 10 14% |
| Through school | 64 12% | 22 7% | 42 18% | 31 10% | 33 16% | 18 11% | 46 12% | 7 6% | 21 11% | 18 16% | 18 15% | 62 13% | 3 4% |
| I organised my own training by attending a course | 47 9% | 23 8% | 24 10% | 19 6% | 28 13% | 20 12% | 27 7% | 11 9% | 12 7% | 10 9% | 13 11% | 38 8% | 9 13% |
| I taught myself through the internet (e.g. YouTube, other website) or another self-learning tool | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| A family member or friend taught me | 4 1% | - - | 4 2% | - - | 4 2% | 1 1% | 3 1% | 3 3% | - - | 1 1% | - - | 2 * | 2 3% |
| Don't know\Can't Remember | 4 1% | 1 * | 3 1% | 1 * | 3 1% | 1 1% | 3 1% | 2 1% | 1 * | - - | 1 1% | 2 * | 2 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.2 Which [ONE] of these best describes how you received your CPR training?

Base: All who have been trained in CPR

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|--|------------|-----------|----------------|--------------------|------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 506 | 208 | 175 | 123 | 506 | - | 68 | 59 | 51 | 83 | 245 | - | - |
| Weighted Base | 536 | 237 | 175 | 124 | 536 | - | 81 | 68 | 59 | 90 | 238 | - | - |
| I am required to be CPR trained as part of my job | 207 39% | 91 38% | 70 40% | 46 37% | 207 39% | - | 46 57% | 35 52% | 26 44% | 27 30% | 72 30% | - | - |
| I opted to take a course or session organised through my work | 149 28% | 56 24% | 48 28% | 45 36% | 149 28% | - | 17 22% | 17 26% | 16 28% | 20 23% | 78 33% | - | - |
| I opted to take a course or session organised through my voluntary work | 61 11% | 22 9% | 21 12% | 18 15% | 61 11% | - | 6 7% | 5 7% | 7 11% | 12 14% | 32 13% | - | - |
| Through school | 64 12% | 32 13% | 22 13% | 10 8% | 64 12% | - | 4 5% | 5 8% | 6 10% | 17 19% | 32 13% | - | - |
| I organised my own training by attending a course | 47 9% | 30 13% | 11 6% | 6 4% | 47 9% | - | 7 9% | 4 6% | 4 7% | 10 11% | 21 9% | - | - |
| I taught myself through the internet (e.g. YouTube, other website) or another self-learning tool | - - | - - | - - | - - | - - | - | - | - | - | - | - | - | - |
| A family member or friend taught me | 4 1% | 3 1% | 2 1% | - | 4 1% | - | - | - | - | 1 1% | 3 1% | - | - |
| Don't know\Can't Remember | 4 1% | 3 1% | 1 1% | - | 4 1% | - | 1 1% | 1 1% | - | 1 1% | 1 * | - | - |

CPR (QS9823 - 731332/731232/731333/731233)

Q.3 When were you trained or when did you last have a refresher in CPR?

Base: All who have been trained in CPR

| | Total | GENDER | | AGE | | | | | | SOCIAL GRADE | | | | | | |
|--|-------|--------|--------|-------|-------|-------|-------|-------|-------|--------------|-----|-----|-----|-----|------|------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 506 | 238 | 268 | 10 | 50 | 79 | 87 | 96 | 71 | 113 | 113 | 146 | 112 | 135 | 259 | 247 |
| Weighted Base | 536 | 261 | 275 | 12 | 66 | 95 | 101 | 103 | 85 | 73 | 134 | 156 | 112 | 133 | 290 | 246 |
| Within the last 6 months | 81 | 39 | 42 | 3 | 15 | 23 | 14 | 17 | 8 | 2 | 28 | 21 | 19 | 14 | 48 | 33 |
| | 15% | 15% | 15% | 23% | 22% | 24% | 14% | 16% | 9% | 3% | 21% | 13% | 17% | 11% | 17% | 13% |
| 7- 12 months ago | 68 | 32 | 36 | 2 | 15 | 14 | 16 | 12 | 7 | 2 | 12 | 24 | 18 | 14 | 36 | 32 |
| | 13% | 12% | 13% | 19% | 22% | 14% | 16% | 12% | 8% | 3% | 9% | 15% | 16% | 10% | 12% | 13% |
| More than one year but less than 2 years | 59 | 28 | 31 | 2 | 8 | 15 | 11 | 13 | 7 | 3 | 16 | 17 | 11 | 15 | 33 | 26 |
| | 11% | 11% | 11% | 19% | 12% | 16% | 10% | 13% | 8% | 4% | 12% | 11% | 10% | 12% | 11% | 11% |
| More than 2 years but less than 5 years | 90 | 51 | 39 | 3 | 20 | 7 | 22 | 21 | 9 | 7 | 23 | 21 | 20 | 26 | 44 | 46 |
| | 17% | 20% | 14% | 27% | 31% | 7% | 22% | 20% | 11% | 9% | 17% | 14% | 18% | 20% | 15% | 19% |
| More than 5 years | 238 | 110 | 128 | 1 | 9 | 36 | 38 | 41 | 54 | 59 | 55 | 74 | 45 | 64 | 129 | 109 |
| | 44% | 42% | 46% | 12% | 13% | 38% | 37% | 39% | 63% | 81% | 41% | 47% | 40% | 48% | 45% | 44% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.3 When were you trained or when did you last have a refresher in CPR?

Base: All who have been trained in CPR

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|---|----------------|-------------------------------------|----------------|---------|----------------|-------|----------------|-----|-----|-----|-----------------|-----|------|
| | Total | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 506 | 272 | 234 | 262 | 244 | 144 | 362 | 128 | 180 | 99 | 99 | 427 | 79 |
| Weighted Base | 536 | 300 | 236 | 325 | 211 | 165 | 370 | 117 | 190 | 113 | 116 | 466 | 70 |
| Within the last 6 months | 81 | 56 | 25 | 64 | 17 | 27 | 54 | 6 | 37 | 20 | 18 | 76 | 5 |
| | 15% | 19% | 11% | 20% | 8% | 16% | 15% | 5% | 20% | 17% | 16% | 16% | 7% |
| 7- 12 months ago | 68 | 42 | 26 | 56 | 12 | 31 | 37 | 11 | 19 | 20 | 18 | 57 | 11 |
| | 13% | 14% | 11% | 17% | 6% | 19% | 10% | 9% | 10% | 18% | 16% | 12% | 16% |
| More than one year but less than 2 years | 59 | 31 | 28 | 45 | 14 | 17 | 42 | 14 | 23 | 9 | 13 | 58 | 1 |
| | 11% | 10% | 12% | 14% | 7% | 10% | 11% | 12% | 12% | 8% | 11% | 12% | 1% |
| More than 2 years but less than 5 years | 90 | 46 | 44 | 53 | 37 | 36 | 54 | 15 | 23 | 32 | 20 | 87 | 3 |
| | 17% | 15% | 19% | 16% | 17% | 22% | 14% | 13% | 12% | 28% | 17% | 19% | 4% |
| More than 5 years | 238 | 124 | 114 | 107 | 131 | 54 | 184 | 71 | 87 | 33 | 46 | 188 | 50 |
| | 44% | 41% | 48% | 33% | 62% | 32% | 50% | 61% | 46% | 29% | 40% | 40% | 71% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.3 When were you trained or when did you last have a refresher in CPR?

Base: All who have been trained in CPR

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|---|------------|------------|----------------|--------------------|------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 506 | 208 | 175 | 123 | 506 | - | 68 | 59 | 51 | 83 | 245 | - | - |
| Weighted Base | 536 | 237 | 175 | 124 | 536 | - | 81 | 68 | 59 | 90 | 238 | - | - |
| Within the last 6 months | 81 15% | 40 17% | 25 14% | 17 13% | 81 15% | - | 81 100% | - | - | - | - | - | - |
| 7- 12 months ago | 68 13% | 32 13% | 24 14% | 13 10% | 68 13% | - | - | 68 100% | - | - | - | - | - |
| More than one year but less than 2 years | 59 11% | 21 9% | 20 11% | 18 15% | 59 11% | - | - | - | 59 100% | - | - | - | - |
| More than 2 years but less than 5 years | 90 17% | 41 17% | 29 16% | 20 16% | 90 17% | - | - | - | - | 90 100% | - | - | - |
| More than 5 years | 238 44% | 103 44% | 78 45% | 57 46% | 238 44% | - | - | - | - | - | 238 100% | - | - |

CPR (QS9823 - 731332/731232/731333/731233)

Q.4 Which of these statements best describe your feelings about CPR training?

Base: All who have not been trained in CPR

| | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | | |
|---------------------------------------|--------|--------|-------|-------|-------|-------|-------|-------|-----|--------------|-----|-----|-----|------|------|-----|
| | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE | |
| Unweighted Base | 521 | 237 | 284 | 11 | 44 | 58 | 57 | 81 | 62 | 208 | 89 | 129 | 103 | 200 | 218 | 303 |
| Weighted Base | 491 | 232 | 259 | 14 | 56 | 66 | 66 | 80 | 71 | 138 | 87 | 135 | 95 | 174 | 222 | 269 |
| I would like to be trained in CPR | 208 | 90 | 117 | 8 | 29 | 38 | 39 | 36 | 26 | 32 | 41 | 61 | 41 | 64 | 102 | 105 |
| | 42% | 39% | 45% | 55% | 52% | 57% | 58% | 45% | 36% | 24% | 47% | 45% | 43% | 37% | 46% | 39% |
| I would not like to be trained in CPR | 243 | 120 | 123 | 5 | 18 | 22 | 24 | 37 | 38 | 99 | 43 | 59 | 49 | 92 | 102 | 141 |
| | 50% | 52% | 48% | 36% | 32% | 34% | 37% | 46% | 53% | 72% | 50% | 44% | 51% | 53% | 46% | 52% |
| Don't know | 40 | 22 | 19 | 1 | 9 | 6 | 3 | 7 | 7 | 6 | 3 | 15 | 5 | 17 | 18 | 23 |
| | 8% | 9% | 7% | 10% | 16% | 9% | 5% | 9% | 10% | 5% | 3% | 11% | 5% | 10% | 8% | 8% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.4 Which of these statements best describe your feelings about CPR training?

Base: All who have not been trained in CPR

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|--|----------------|-------------------------------------|----------------|------------|----------------|-----------|----------------|-----------|-----------|-----------|-----------------|------------|-----------|
| | Total | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 521 | 265 | 256 | 192 | 329 | 131 | 390 | 142 | 190 | 91 | 98 | 368 | 153 |
| Weighted Base | 491 | 257 | 234 | 230 | 261 | 145 | 346 | 114 | 172 | 96 | 109 | 374 | 117 |
| I would like to be trained in CPR | 208 42% | 115 45% | 92 39% | 121 53% | 86 33% | 84 57% | 124 36% | 27 23% | 72 42% | 46 48% | 63 58% | 177 47% | 31 26% |
| I would not like to be trained in CPR | 243 50% | 124 48% | 119 51% | 85 37% | 158 61% | 51 35% | 192 56% | 79 69% | 86 50% | 41 42% | 37 34% | 165 44% | 78 67% |
| Don't know | 40 8% | 18 7% | 22 10% | 24 10% | 16 6% | 11 7% | 30 9% | 9 8% | 14 8% | 9 10% | 9 8% | 32 9% | 8 7% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.4 Which of these statements best describe your feelings about CPR training?

Base: All who have not been trained in CPR

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|--|------------|------------|----------------|--------------------|-----|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 521 | 235 | 178 | 108 | - | 519 | - | - | - | - | - | 198 | 284 |
| Weighted Base | 491 | 227 | 165 | 99 | - | 488 | - | - | - | - | - | 208 | 243 |
| I would like to be trained in CPR | 208 42% | 88 39% | 81 49% | 38 38% | - | 206 42% | - | - | - | - | - | 208 100% | - |
| I would not like to be trained in CPR | 243 50% | 118 52% | 75 46% | 49 50% | - | 242 50% | - | - | - | - | - | - | 243 100% |
| Don't know | 40 8% | 21 9% | 8 5% | 12 12% | - | 40 8% | - | - | - | - | - | - | - |

CPR (QS9823 - 731332/731232/731333/731233)

Q.5 Here are some of the reasons people are not trained in CPR. Which if any apply to you?

Base: All who have not been trained in CPR

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|---|------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|-----------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 521 | 237 | 284 | 11 | 44 | 58 | 57 | 81 | 62 | 208 | 89 | 129 | 103 | 200 | 218 | 303 |
| Weighted Base | 491 | 232 | 259 | 14 | 56 | 66 | 66 | 80 | 71 | 138 | 87 | 135 | 95 | 174 | 222 | 269 |
| It has never occurred to me to get trained in CPR | 135 28% | 73 32% | 62 24% | 4 28% | 24 42% | 12 19% | 18 28% | 17 21% | 19 27% | 42 30% | 27 31% | 38 28% | 27 28% | 43 25% | 65 29% | 70 26% |
| I have never had the opportunity | 142 29% | 62 26% | 80 31% | 4 27% | 16 28% | 22 33% | 19 28% | 27 33% | 24 34% | 31 23% | 26 30% | 42 31% | 30 32% | 44 25% | 68 31% | 74 27% |
| Lack of time | 75 15% | 38 16% | 36 14% | 3 21% | 15 27% | 13 19% | 13 20% | 14 17% | 6 8% | 11 8% | 15 17% | 24 18% | 13 13% | 23 13% | 39 18% | 35 13% |
| Lack of interest | 59 12% | 35 15% | 24 9% | - - | 7 12% | 6 10% | 8 12% | 7 9% | 8 12% | 22 16% | 7 8% | 15 11% | 8 9% | 28 16% | 23 10% | 37 14% |
| Inconvenient (e.g. having to leave the house, too far to travel etc.) | 11 2% | 3 1% | 8 3% | - - | - - | - - | 1 2% | 2 2% | 2 3% | 5 4% | 3 3% | 1 1% | 3 3% | 5 3% | 3 2% | 7 3% |
| Cost | 19 4% | 9 4% | 10 4% | - - | 2 4% | 5 7% | 3 5% | 4 5% | 2 3% | 3 2% | 1 1% | 3 2% | 5 5% | 10 6% | 4 2% | 14 5% |
| Don't know where to find a course | 38 8% | 14 6% | 24 9% | 1 8% | 4 7% | 5 7% | 7 11% | 9 11% | 1 1% | 11 8% | 6 7% | 6 4% | 7 7% | 19 11% | 12 5% | 26 10% |
| Unable to learn due to poor mental or physical health | 35 7% | 14 6% | 21 8% | - - | - - | 4 5% | 1 1% | 6 7% | 8 12% | 17 12% | 4 5% | 8 6% | 6 6% | 18 10% | 12 5% | 23 9% |
| I would never give CPR so there is no point | 41 8% | 20 8% | 22 8% | 1 7% | 1 2% | 7 10% | 7 11% | 7 9% | 5 7% | 12 9% | 7 8% | 12 9% | 11 11% | 11 7% | 19 9% | 22 8% |
| Too old/my age | 12 2% | 2 1% | 9 4% | - - | - - | - - | - - | - - | - - | 12 8% | 2 2% | 3 2% | 2 2% | 5 3% | 5 2% | 7 3% |
| Too much responsibility | 7 1% | 3 1% | 4 2% | - - | - - | 1 2% | - - | - - | 4 6% | 1 1% | 4 4% | 1 1% | 1 1% | 1 1% | 5 2% | 2 1% |
| Other | 6 1% | 3 1% | 4 1% | 1 9% | - - | 1 1% | 1 1% | 2 2% | - - | 2 1% | 2 2% | 1 1% | - - | 3 2% | 3 1% | 3 1% |
| None | 3 1% | 2 1% | 1 * | - - | - - | 2 3% | - - | - - | - - | 1 * | 1 1% | 1 1% | - - | 1 1% | 2 1% | 1 * |

CPR (QS9823 - 731332/731232/731333/731233)

Q.5 Here are some of the reasons people are not trained in CPR. Which if any apply to you?

Base: All who have not been trained in CPR

| | Total | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | |
|---|------------|-------------------------------------|----------------|----------------|----------------|-----------|-------------|----------------|-----------|-----------|-----------|-----------------|-----------|
| | | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 521 | 265 | 256 | 192 | 329 | 131 | 390 | 142 | 190 | 91 | 98 | 368 | 153 |
| Weighted Base | 491 | 257 | 234 | 230 | 261 | 145 | 346 | 114 | 172 | 96 | 109 | 374 | 117 |
| I has never occurred to me to get trained in CPR | 135 28% | 71 27% | 65 28% | 58 25% | 77 29% | 36 25% | 99 29% | 30 26% | 51 30% | 26 27% | 28 26% | 108 29% | 27 23% |
| I have never had the opportunity | 142 29% | 82 32% | 60 26% | 74 32% | 67 26% | 39 27% | 103 30% | 25 22% | 58 34% | 26 27% | 33 30% | 115 31% | 26 22% |
| Lack of time | 75 15% | 40 16% | 35 15% | 47 20% | 28 11% | 29 20% | 45 13% | 12 10% | 21 13% | 17 18% | 24 22% | 63 17% | 11 9% |
| Lack of interest | 59 12% | 30 12% | 29 12% | 26 11% | 33 13% | 19 13% | 40 12% | 15 13% | 20 11% | 14 14% | 11 10% | 40 11% | 19 16% |
| Inconvenient (e.g. having to leave the house, too far to travel etc.) | 11 2% | 5 2% | 6 3% | 4 2% | 7 3% | - - | 11 3% | 4 4% | 3 2% | 2 2% | 1 1% | 4 1% | 6 6% |
| Cost | 19 4% | 11 4% | 8 3% | 11 5% | 7 3% | 7 5% | 12 3% | 3 3% | 6 4% | 4 4% | 6 6% | 16 4% | 3 3% |
| Don't know where to find a course | 38 8% | 21 8% | 17 7% | 15 7% | 23 9% | 14 9% | 24 7% | 6 5% | 16 9% | 9 9% | 7 6% | 29 8% | 9 8% |
| Unable to learn due to poor mental or physical health | 35 7% | 14 5% | 21 9% | 5 2% | 31 12% | 6 4% | 29 8% | 14 12% | 13 8% | 4 4% | 4 4% | 19 5% | 17 14% |
| I would never give CPR so there is no point | 41 8% | 20 8% | 22 9% | 15 7% | 26 10% | 13 9% | 29 8% | 14 13% | 12 7% | 5 5% | 10 9% | 30 8% | 11 9% |
| Too old/my age | 12 2% | 3 1% | 9 4% | - - | 12 4% | - - | 12 3% | 8 7% | 3 2% | 1 1% | - - | 3 1% | 9 8% |
| Too much responsibility | 7 1% | 4 2% | 2 1% | 4 2% | 3 1% | - - | 7 2% | 2 2% | 2 1% | 1 1% | 1 1% | 6 2% | 1 1% |
| Other | 6 1% | 2 1% | 4 2% | 4 2% | 3 1% | 5 3% | 2 * | 1 1% | 1 * | 2 2% | 3 2% | 5 1% | 1 1% |
| None | 3 1% | 3 1% | - - | 2 1% | 1 * | 1 1% | 2 * | - - | 1 * | 2 2% | - - | 3 1% | - - |

CPR (QS9823 - 731332/731232/731333/731233)

Q.5 Here are some of the reasons people are not trained in CPR. Which if any apply to you?

Base: All who have not been trained in CPR

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|---|------------|-----------|----------------|-----------|--------------------|------------|--------------------------|------------------|--|---|-------------------|-----------------------------------|---------------------------------------|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 521 | 235 | 178 | 108 | - | 519 | - | - | - | - | - | 198 | 284 |
| Weighted Base | 491 | 227 | 165 | 99 | - | 488 | - | - | - | - | - | 208 | 243 |
| It has never occurred to me to get trained in CPR | 135 28% | 63 27% | 41 25% | 32 32% | - | 135 28% | - | - | - | - | - | 59 28% | 58 24% |
| I have never had the opportunity | 142 29% | 63 28% | 55 33% | 24 24% | - | 138 28% | - | - | - | - | - | 96 46% | 38 16% |
| Lack of time | 75 15% | 39 17% | 18 11% | 17 18% | - | 75 15% | - | - | - | - | - | 35 17% | 34 14% |
| Lack of interest | 59 12% | 26 11% | 21 13% | 12 13% | - | 59 12% | - | - | - | - | - | 7 3% | 48 20% |
| Inconvenient (e.g. having to leave the house, too far to travel etc.) | 11 2% | 7 3% | 2 1% | 2 2% | - | 11 2% | - | - | - | - | - | 3 2% | 6 3% |
| Cost | 19 4% | 7 3% | 5 3% | 6 6% | - | 19 4% | - | - | - | - | - | 13 6% | 3 1% |
| Don't know where to find a course | 38 8% | 20 9% | 13 8% | 5 5% | - | 38 8% | - | - | - | - | - | 32 15% | 4 2% |
| Unable to learn due to poor mental or physical health | 35 7% | 20 9% | 7 4% | 9 9% | - | 35 7% | - | - | - | - | - | 7 3% | 25 10% |
| I would never give CPR so there is no point | 41 8% | 21 9% | 12 7% | 8 8% | - | 41 8% | - | - | - | - | - | 7 3% | 33 13% |
| Too old/my age | 12 2% | 8 3% | 1 * | 4 4% | - | 12 2% | - | - | - | - | - | - | 12 5% |
| Too much responsibility | 7 1% | 4 2% | 1 1% | 2 2% | - | 7 1% | - | - | - | - | - | - | 7 3% |
| Other | 6 1% | - | 5 3% | 1 1% | - | 6 1% | - | - | - | - | - | 4 2% | 2 1% |
| None | 3 1% | 1 * | 2 1% | - | - | 3 1% | - | - | - | - | - | - | 3 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.6 How would you know if someone required CPR?

Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|--|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| I wouldn't know | 219 21% | 116 24% | 102 19% | 4 15% | 29 24% | 29 18% | 26 16% | 29 16% | 37 24% | 64 30% | 37 17% | 64 22% | 48 23% | 69 23% | 102 20% | 117 23% |
| Loss of consciousness | 304 30% | 148 30% | 156 29% | 7 26% | 36 29% | 44 27% | 55 33% | 59 32% | 47 30% | 57 27% | 81 37% | 84 29% | 48 23% | 90 29% | 165 32% | 138 27% |
| Not breathing | 520 51% | 250 51% | 269 50% | 14 54% | 69 56% | 81 51% | 92 55% | 99 54% | 76 49% | 88 42% | 115 52% | 152 52% | 100 48% | 153 50% | 267 52% | 253 49% |
| Not breathing normally | 179 17% | 80 16% | 99 19% | 7 27% | 17 14% | 18 11% | 29 17% | 44 24% | 30 19% | 35 16% | 47 21% | 52 18% | 39 19% | 43 14% | 98 19% | 81 16% |
| No pulse | 244 24% | 123 25% | 121 23% | 1 5% | 26 22% | 38 24% | 52 31% | 54 29% | 36 23% | 36 17% | 52 23% | 74 25% | 45 22% | 73 24% | 125 24% | 119 23% |
| Blue lips/mouth turning blue | 19 2% | 9 2% | 10 2% | - - | 3 2% | 1 1% | 1 1% | 9 5% | 1 1% | 3 2% | 8 3% | 6 2% | 1 1% | 5 1% | 13 3% | 6 1% |
| Blue face/face turning blue | 4 * | 4 1% | - - | - - | - - | - - | 1 1% | 2 1% | - - | 1 * | 1 * | 3 1% | - - | - - | 4 1% | - - |
| Turning blue | 14 1% | 6 1% | 8 1% | - - | 1 1% | 3 2% | 4 2% | 4 2% | - - | 3 1% | 3 1% | 5 2% | 3 1% | 4 1% | 7 1% | 7 1% |
| Turning pale/loss of colour | 8 1% | 4 1% | 4 1% | - - | - - | - - | 1 1% | 5 3% | - - | 2 1% | 5 2% | 2 1% | 1 1% | - - | 7 1% | 1 * |
| Face colour/change in face colour | 6 1% | 4 1% | 1 * | - - | - - | - - | 1 1% | 2 1% | 1 1% | 1 * | - - | 2 1% | 3 1% | 1 * | 2 * | 4 1% |
| Skin tone/colour/change in skin colour | 22 2% | 7 1% | 15 3% | - - | - - | 3 2% | 2 1% | 5 3% | 8 5% | 4 2% | 6 3% | 6 2% | 4 2% | 6 2% | 12 2% | 10 2% |
| Tongue/position of their tongue | 5 * | 2 * | 3 1% | - - | - - | 1 1% | - - | 2 1% | - - | 1 1% | - - | 1 * | 1 1% | 2 1% | 1 * | 3 1% |
| Clammy/sweating | 5 * | 4 1% | 1 * | - - | - - | - - | 1 1% | 1 1% | 1 1% | 1 * | 3 1% | 1 * | 1 * | - - | 4 1% | 1 * |
| Collapsed | 17 2% | 6 1% | 11 2% | - - | 1 1% | 4 2% | 2 1% | 1 * | 3 2% | 6 3% | 5 2% | 3 1% | 4 2% | 5 2% | 8 2% | 9 2% |
| Had fallen down/was on the ground/lying down | 26 3% | 14 3% | 13 2% | 1 5% | 1 1% | 6 4% | 2 1% | 4 2% | 5 3% | 7 3% | 2 1% | 12 4% | 3 1% | 9 3% | 14 3% | 12 2% |
| Unresponsive | 5 1% | 4 1% | 2 * | - - | - - | - - | - - | 1 1% | 4 2% | - - | - - | 4 1% | - - | 1 * | 4 1% | 1 * |

Q.6 How would you know if someone required CPR?

Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | SOCIAL GRADE | | | | | | |
|---|----------|----------|----------|---------|---------|---------|---------|---------|---------|--------------|---------|---------|----------|---------|----------|----------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Holding/clutching their chest/chest pains | 12 1% | 6 1% | 6 1% | - | - | - | 1 1% | 4 2% | 3 2% | 4 2% | 4 2% | 1 * | 6 3% | 1 * | 4 1% | 8 1% |
| Pain in arm/pain in shoulder | 7 1% | 2 * | 4 1% | - | - | - | - | 2 1% | 3 2% | 1 1% | 1 * | 3 1% | - | 2 1% | 4 1% | 2 * |
| Heart attack/signs of heart attack | 7 1% | 4 1% | 3 1% | - | 1 1% | 1 1% | - | 1 1% | 2 1% | 2 1% | 3 1% | 1 * | 2 1% | 2 1% | 4 1% | 3 1% |
| Eyes rolling/eyes rolled | 3 * | 2 * | 2 * | - | - | - | - | 1 1% | - | 2 1% | 1 * | 1 * | 2 1% | - | 2 * | 2 * |
| Choking | 4 * | 1 * | 3 1% | 1 4% | 1 1% | - | 1 1% | 1 1% | - | - | - | - | 1 * | 3 1% | - | 4 1% |
| A B C check/checklist | 5 * | 2 1% | 2 * | - | 3 2% | - | 1 1% | 1 1% | - | - | 1 1% | 1 1% | - | 2 1% | 3 1% | 2 * |
| From their appearance | 3 * | 1 * | 2 * | - | 1 1% | - | - | - | 1 1% | 1 * | - | 2 1% | - | 1 * | 2 * | 1 * |
| From looking at them | 4 * | 3 1% | 1 * | - | - | - | - | 1 * | - | 3 1% | 1 * | 2 1% | - | 1 * | 3 1% | 1 * |
| You just know/it's common sense | 3 * | 1 * | 2 * | - | - | - | - | 2 1% | 1 1% | - | 1 1% | 1 * | - | 1 * | 3 1% | 1 * |
| Other | 29 3% | 14 3% | 16 3% | - | 1 1% | 8 5% | 6 4% | 5 3% | 3 2% | 6 3% | 8 4% | 5 2% | 10 5% | 6 2% | 13 3% | 16 3% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.6 How would you know if someone required CPR?

Base: All adults in Scotland

| | Total | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | |
|--|-------|-------------------------------------|----------------|----------------|----------------|----------|-------------|----------------|-----|-----|-----|-----------------|------|
| | | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| I wouldn't know | 219 | 112 | 107 | 95 | 124 | 50 | 169 | 55 | 79 | 47 | 37 | 149 | 69 |
| | 21% | 20% | 23% | 17% | 26% | 16% | 24% | 24% | 22% | 23% | 17% | 18% | 37% |
| Loss of consciousness | 304 | 176 | 128 | 177 | 127 | 111 | 192 | 61 | 107 | 62 | 74 | 254 | 50 |
| | 30% | 32% | 27% | 32% | 27% | 36% | 27% | 26% | 30% | 30% | 33% | 30% | 27% |
| Not breathing | 520 | 288 | 232 | 307 | 212 | 172 | 348 | 111 | 177 | 107 | 124 | 444 | 75 |
| | 51% | 52% | 49% | 55% | 45% | 55% | 49% | 48% | 49% | 51% | 55% | 53% | 40% |
| Not breathing normally | 179 | 100 | 79 | 95 | 84 | 62 | 117 | 42 | 59 | 38 | 41 | 146 | 33 |
| | 17% | 18% | 17% | 17% | 18% | 20% | 16% | 18% | 16% | 18% | 18% | 17% | 18% |
| No pulse | 244 | 138 | 106 | 158 | 87 | 78 | 166 | 61 | 86 | 47 | 50 | 201 | 43 |
| | 24% | 25% | 23% | 28% | 18% | 25% | 23% | 26% | 24% | 23% | 22% | 24% | 23% |
| Blue lips/mouth turning blue | 19 | 10 | 9 | 11 | 8 | 7 | 12 | 4 | 7 | 2 | 6 | 16 | 3 |
| | 2% | 2% | 2% | 2% | 2% | 2% | 2% | 2% | 2% | 1% | 3% | 2% | 2% |
| Blue face/face turning blue | 4 | 4 | - | 2 | 2 | 2 | 2 | - | 1 | 2 | 1 | 4 | - |
| | * | 1% | - | * | * | 1% | * | - | * | 1% | * | * | - |
| Turning blue | 14 | 5 | 9 | 9 | 6 | 5 | 9 | 6 | 3 | 3 | 1 | 13 | 1 |
| | 1% | 1% | 2% | 2% | 1% | 2% | 1% | 3% | 1% | 2% | 1% | 2% | 1% |
| Turning pale/loss of colour | 8 | 7 | 1 | 6 | 2 | 6 | 2 | 1 | 1 | - | 6 | 6 | 2 |
| | 1% | 1% | * | 1% | * | 2% | * | * | * | - | 3% | 1% | 1% |
| Face colour/change in face colour | 6 | 4 | 2 | 4 | 1 | 1 | 5 | 2 | 2 | - | 1 | 5 | 1 |
| | 1% | 1% | * | 1% | * | * | 1% | 1% | 1% | - | 1% | 1% | 1% |
| Skin tone/colour/change in skin colour | 22 | 15 | 7 | 14 | 8 | 6 | 16 | 6 | 8 | 3 | 5 | 19 | 3 |
| | 2% | 3% | 1% | 3% | 2% | 2% | 2% | 2% | 2% | 2% | 2% | 2% | 2% |
| Tongue/position of their tongue | 5 | 2 | 3 | - | 5 | 2 | 2 | 2 | 1 | - | 2 | 5 | - |
| | * | * | 1% | - | 1% | 1% | * | 1% | * | - | 1% | 1% | - |
| Clammy/sweating | 5 | 1 | 3 | 4 | 1 | - | 5 | 1 | 4 | - | - | 4 | 1 |
| | * | * | 1% | 1% | * | - | 1% | * | 1% | - | - | * | * |
| Collapsed | 17 | 10 | 7 | 5 | 12 | 2 | 15 | 5 | 8 | 3 | 1 | 14 | 3 |
| | 2% | 2% | 2% | 1% | 3% | 1% | 2% | 2% | 2% | 1% | * | 2% | 1% |
| Had fallen down/was on the ground/lying down | 26 | 16 | 10 | 13 | 13 | 6 | 20 | 3 | 14 | 5 | 5 | 24 | 2 |
| | 3% | 3% | 2% | 2% | 3% | 2% | 3% | 1% | 4% | 2% | 2% | 3% | 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.6 How would you know if someone required CPR?

Base: All adults in Scotland

| | Total | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | |
|--|----------|-------------------------------------|----------------|----------------|----------------|----------|-------------|----------------|----------|---------|---------|-----------------|---------|
| | | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Unresponsive | 5 1% | 2 * | 3 1% | 3 1% | 2 * | - - | 5 1% | 4 2% | 1 * | - - | - - | 4 * | 1 1% |
| Holding/clutching their chest/chest pains | 12 1% | 9 2% | 3 1% | 5 1% | 8 2% | 1 * | 11 1% | 3 2% | 5 1% | 2 1% | 1 1% | 10 1% | 2 1% |
| Pain in arm/pain in shoulder | 7 1% | 4 1% | 2 1% | 3 1% | 3 1% | 1 * | 6 1% | 2 1% | 3 1% | 2 1% | - - | 6 1% | 1 * |
| Heart attack/signs of heart attack | 7 1% | 3 * | 5 1% | 2 * | 5 1% | 1 * | 6 1% | 4 2% | 1 * | 1 1% | 2 1% | 7 1% | 1 * |
| Eyes rolling/eyes rolled | 3 * | 1 * | 2 * | - - | 3 1% | 1 * | 2 * | 2 1% | - - | - - | 1 1% | 1 * | 2 1% |
| Choking | 4 * | 1 * | 3 1% | 1 * | 3 1% | 2 1% | 2 * | 1 * | 1 * | 1 * | 1 * | 4 * | - - |
| A B C check/checklist | 5 * | 1 * | 3 1% | 4 1% | 1 * | 2 1% | 2 * | 2 1% | - - | 1 * | 1 1% | 3 * | 1 1% |
| From their appearance | 3 * | 1 * | 2 * | 1 * | 2 * | - - | 3 * | 1 * | - - | 2 1% | - - | 3 * | - - |
| From looking at them | 4 * | 1 * | 2 * | 1 * | 3 1% | - - | 4 * | 2 1% | 1 * | 1 * | - - | 2 * | 2 1% |
| You just know/it's common sense | 3 * | - - | 3 1% | 3 * | 1 * | 1 * | 3 * | 3 1% | 1 * | - - | - - | 3 * | - - |
| Other | 29 3% | 17 3% | 12 3% | 12 2% | 17 4% | 8 3% | 21 3% | 3 1% | 17 5% | 6 3% | 4 2% | 26 3% | 3 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.6 How would you know if someone required CPR?

Base: All adults in Scotland

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|--|------------|------------|----------------|------------|--------------------|------------|--------------------------|------------------|--|---|-------------------|-----------------------------------|---------------------------------------|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| I wouldn't know | 219 21% | 92 20% | 84 25% | 43 19% | 35 7% | 183 38% | 2 3% | 4 6% | 2 3% | 3 3% | 24 10% | 63 30% | 105 43% |
| Loss of consciousness | 304 30% | 127 27% | 113 33% | 64 29% | 189 35% | 113 23% | 37 46% | 25 37% | 24 41% | 31 35% | 71 30% | 58 28% | 47 19% |
| Not breathing | 520 51% | 231 50% | 172 51% | 117 52% | 332 62% | 188 38% | 55 67% | 43 64% | 32 54% | 57 63% | 145 61% | 94 46% | 79 33% |
| Not breathing normally | 179 17% | 76 16% | 63 18% | 41 18% | 123 23% | 57 12% | 24 29% | 15 22% | 14 23% | 18 20% | 52 22% | 24 11% | 29 12% |
| No pulse | 244 24% | 80 17% | 81 24% | 84 38% | 175 33% | 67 14% | 35 43% | 26 39% | 23 38% | 21 23% | 70 30% | 35 17% | 27 11% |
| Blue lips/mouth turning blue | 19 2% | 6 1% | 5 2% | 8 3% | 12 2% | 7 2% | 1 1% | - - | 5 8% | - - | 6 3% | 2 1% | 4 1% |
| Blue face/face turning blue | 4 * | 3 1% | 1 * | - - | 3 1% | 1 * | - - | - - | 2 3% | - - | 1 * | - - | 1 * |
| Turning blue | 14 1% | 11 2% | 2 1% | 1 1% | 7 1% | 7 1% | 1 2% | 2 3% | 1 2% | 1 2% | 1 1% | 3 1% | 4 2% |
| Turning pale/loss of colour | 8 1% | - - | - - | 8 4% | 4 1% | 5 1% | - - | - - | 1 2% | 1 1% | 1 * | 3 1% | 1 * |
| Face colour/change in face colour | 6 1% | 3 1% | 1 * | 1 * | 3 * | 3 1% | - - | - - | - - | 1 1% | 1 1% | 1 * | 2 1% |
| Skin tone/colour/change in skin colour | 22 2% | 5 1% | 12 4% | 5 2% | 19 4% | 3 1% | 4 5% | 2 3% | 2 4% | 3 3% | 8 3% | 2 1% | 1 * |
| Tongue/position of their tongue | 5 * | 1 * | 1 * | 3 1% | 3 * | 2 * | - - | - - | - - | - - | 3 1% | 1 1% | 1 * |
| Clammy/sweating | 5 * | 2 * | 1 * | 1 1% | 3 * | 2 * | - - | - - | - - | - - | 3 1% | 1 1% | 1 * |
| Collapsed | 17 2% | 10 2% | 3 1% | 5 2% | 9 2% | 8 2% | - - | - - | 1 2% | - - | 8 3% | 2 1% | 5 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.6 How would you know if someone required CPR?

Base: All adults in Scotland

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|---|----------|----------|----------------|---------|--------------------|----------|--------------------------------|---------------------|--|---|----------------------|--|---|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Had fallen down/was on the ground/lying down | 26 3% | 19 4% | 5 1% | 3 1% | 9 2% | 17 3% | 1 1% | 1 1% | 1 2% | 2 2% | 5 2% | 10 5% | 6 2% |
| Unresponsive | 5 1% | 3 1% | - - | 3 1% | 5 1% | - - | - - | - - | - - | 1 2% | 4 2% | - - | - - |
| Holding/clutching their chest/chest pains | 12 1% | 9 2% | 3 1% | - - | 2 * | 10 2% | - - | - - | - - | 1 1% | 1 * | 3 1% | 7 3% |
| Pain in arm/pain in shoulder | 7 1% | 5 1% | 2 1% | - - | 1 * | 6 1% | - - | - - | 1 2% | - - | - - | 4 2% | 2 1% |
| Heart attack/signs of heart attack | 7 1% | 5 1% | 2 1% | - - | 4 1% | 3 1% | - - | - - | 1 2% | 1 1% | 2 1% | 1 * | 2 1% |
| Eyes rolling/eyes rolled | 3 * | 2 * | 2 1% | - - | 2 * | 2 * | - - | - - | - - | - - | 2 1% | - - | 2 1% |
| Choking | 4 * | 1 * | 3 1% | - - | 4 1% | - - | - - | 1 1% | 1 2% | 1 1% | 1 * | - - | - - |
| A B C check/checklist | 5 * | 2 1% | 1 * | 1 1% | 5 1% | - - | - - | 3 4% | 1 2% | 1 1% | - - | - - | - - |
| From their appearance | 3 * | 2 * | 1 * | - - | 2 * | 1 * | - - | - - | - - | - - | 2 1% | - - | - - |
| From looking at them | 4 * | 2 * | 1 * | - - | 3 * | 1 * | - - | - - | - - | 1 1% | 2 1% | - - | 1 * |
| You just know/it's common sense | 3 * | 3 1% | - - | - - | 3 * | 1 * | - - | - - | - - | - - | 3 1% | 1 * | - - |
| Other | 29 3% | 16 3% | 10 3% | 4 2% | 18 3% | 11 2% | - - | 2 3% | 4 6% | 3 3% | 10 4% | 4 2% | 6 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.7 How confident, if at all, would you be about giving someone CPR?

Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | SOCIAL GRADE | | | | | | |
|----------------------|------------|------------|------------|-----------|-----------|-----------|-----------|------------|-----------|--------------|------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Very confident | 146 14% | 80 16% | 67 13% | 1 4% | 18 15% | 30 19% | 24 15% | 31 17% | 26 17% | 16 8% | 33 15% | 39 13% | 38 18% | 36 12% | 72 14% | 74 14% |
| Fairly confident | 352 34% | 174 35% | 177 33% | 10 41% | 39 32% | 51 31% | 68 40% | 78 43% | 47 30% | 59 28% | 75 34% | 100 34% | 68 33% | 110 36% | 174 34% | 177 34% |
| Not very confident | 256 25% | 125 25% | 131 24% | 8 32% | 36 29% | 38 24% | 44 26% | 37 20% | 41 26% | 52 25% | 57 26% | 84 29% | 44 21% | 71 23% | 141 27% | 115 22% |
| Not at all confident | 257 25% | 109 22% | 149 28% | 6 23% | 29 24% | 41 25% | 31 18% | 35 19% | 37 24% | 79 38% | 54 24% | 67 23% | 54 26% | 83 27% | 120 23% | 137 27% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| CONFIDENT | 498 49% | 254 52% | 244 46% | 11 45% | 57 47% | 80 50% | 92 55% | 109 59% | 73 47% | 75 36% | 108 49% | 139 48% | 106 51% | 146 48% | 247 48% | 252 49% |
| UNCONFIDENT | 513 50% | 234 47% | 280 52% | 14 55% | 65 53% | 78 49% | 74 44% | 72 39% | 78 50% | 132 63% | 111 50% | 150 52% | 98 47% | 154 50% | 261 51% | 252 49% |
| Don't know | 15 1% | 5 1% | 10 2% | - - | - - | 2 1% | 1 1% | 3 2% | 5 3% | 4 2% | 2 1% | 3 1% | 4 2% | 7 2% | 5 1% | 10 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.7 How confident, if at all, would you be about giving someone CPR?

Base: All adults in Scotland

| | Total | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | |
|----------------------|------------|-------------------------------------|----------------|----------------|----------------|------------|-------------|----------------|------------|------------|------------|-----------------|------------|
| | | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Very confident | 146 14% | 83 15% | 64 14% | 92 17% | 54 12% | 53 17% | 93 13% | 22 9% | 70 19% | 28 14% | 26 12% | 127 15% | 19 10% |
| Fairly confident | 352 34% | 196 35% | 156 33% | 210 38% | 142 30% | 119 38% | 233 32% | 72 31% | 108 30% | 79 38% | 92 41% | 297 35% | 55 29% |
| Not very confident | 256 25% | 141 25% | 115 24% | 140 25% | 116 25% | 72 23% | 184 26% | 58 25% | 94 26% | 49 24% | 55 24% | 221 26% | 35 19% |
| Not at all confident | 257 25% | 131 24% | 126 27% | 107 19% | 151 32% | 65 21% | 192 27% | 73 32% | 84 23% | 50 24% | 50 22% | 185 22% | 73 39% |
| SUMMARY CODES | | | | | | | | | | | | | |
| CONFIDENT | 498 49% | 279 50% | 220 47% | 302 54% | 196 42% | 172 55% | 326 46% | 94 41% | 178 49% | 107 51% | 118 53% | 425 51% | 73 39% |
| UNCONFIDENT | 513 50% | 272 49% | 242 51% | 247 45% | 266 56% | 137 44% | 377 53% | 131 57% | 178 49% | 99 47% | 105 47% | 405 48% | 108 58% |
| Don't know | 15 1% | 6 1% | 9 2% | 6 1% | 9 2% | 2 1% | 13 2% | 6 3% | 5 1% | 3 1% | 2 1% | 10 1% | 6 3% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.7 How confident, if at all, would you be about giving someone CPR?

Base: All adults in Scotland

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|----------------------|------------|----------------|------------|--------------------|------------|--------------------------------|---------------------|--|---|----------------------|--|---|------------|
| | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR | |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Very confident | 146 14% | 61 13% | 53 16% | 32 14% | 133 25% | 13 3% | 37 45% | 23 34% | 12 20% | 19 22% | 41 17% | 8 4% | 5 2% |
| Fairly confident | 352 34% | 165 36% | 106 31% | 81 36% | 251 47% | 101 21% | 35 44% | 39 57% | 35 59% | 46 51% | 96 40% | 56 27% | 36 15% |
| Not very confident | 256 25% | 124 27% | 78 23% | 54 24% | 107 20% | 146 30% | 8 10% | 4 6% | 12 21% | 20 23% | 62 26% | 65 31% | 68 28% |
| Not at all confident | 257 25% | 111 24% | 98 29% | 49 22% | 40 8% | 217 45% | 1 1% | 1 2% | - | 4 4% | 34 14% | 75 36% | 129 53% |
| SUMMARY CODES | | | | | | | | | | | | | |
| CONFIDENT | 498 49% | 226 49% | 160 47% | 112 50% | 384 72% | 114 23% | 72 89% | 62 92% | 47 79% | 66 73% | 138 58% | 64 31% | 41 17% |
| UNCONFIDENT | 513 50% | 235 51% | 176 52% | 103 46% | 147 27% | 363 74% | 9 11% | 6 8% | 12 21% | 24 27% | 96 40% | 140 67% | 197 81% |
| Don't know | 15 1% | 4 1% | 4 1% | 7 3% | 5 1% | 11 2% | - | - | - | - | 5 2% | 3 2% | 5 2% |

CPR (QS9823 - 731332/731232/731333/731233)**Q.8 How confident would you be giving CPR if, after dialling 999, the call handler talked you through giving CPR?****Base: All adults in Scotland**

| | Total | GENDER | | AGE | | | | | | SOCIAL GRADE | | | | | | |
|----------------------|------------|------------|------------|-----------|-----------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Very confident | 375 36% | 187 38% | 188 35% | 5 21% | 45 37% | 69 43% | 74 44% | 75 41% | 52 33% | 54 26% | 91 41% | 97 33% | 82 39% | 105 34% | 188 37% | 187 36% |
| Fairly confident | 464 45% | 218 44% | 246 46% | 16 64% | 54 44% | 65 41% | 70 42% | 88 48% | 78 50% | 93 44% | 106 48% | 144 49% | 82 40% | 131 43% | 251 49% | 214 42% |
| Not very confident | 111 11% | 54 11% | 57 11% | 1 5% | 18 14% | 18 11% | 13 8% | 14 8% | 18 11% | 30 14% | 13 6% | 27 9% | 26 13% | 45 15% | 40 8% | 71 14% |
| Not at all confident | 62 6% | 29 6% | 33 6% | 1 4% | 4 4% | 7 4% | 9 5% | 4 2% | 7 5% | 30 14% | 10 4% | 17 6% | 15 7% | 20 6% | 27 5% | 35 7% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| CONFIDENT | 839 82% | 404 82% | 434 81% | 22 85% | 99 81% | 135 84% | 144 86% | 163 89% | 130 83% | 147 70% | 197 89% | 241 83% | 164 79% | 236 77% | 438 86% | 400 78% |
| UNCONFIDENT | 173 17% | 83 17% | 90 17% | 2 9% | 22 18% | 25 16% | 21 13% | 18 10% | 25 16% | 60 28% | 23 10% | 44 15% | 42 20% | 64 21% | 67 13% | 106 21% |
| Don't know | 15 2% | 6 1% | 10 2% | 2 7% | 1 1% | 1 1% | 2 1% | 3 2% | 2 1% | 4 2% | 1 * | 7 2% | 2 1% | 6 2% | 8 1% | 8 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.8 How confident would you be giving CPR if, after dialling 999, the call handler talked you through giving CPR?

Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|----------------------|----------------|-------------------------------------|----------------|---------|----------------|-------|----------------|-----|-----|-----|-----------------|-----|------|
| | Total | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Very confident | 375 | 214 | 161 | 231 | 143 | 139 | 235 | 71 | 132 | 81 | 91 | 324 | 51 |
| | 36% | 38% | 34% | 42% | 30% | 45% | 33% | 31% | 36% | 39% | 41% | 39% | 27% |
| Fairly confident | 464 | 265 | 199 | 254 | 210 | 130 | 334 | 98 | 170 | 96 | 101 | 391 | 73 |
| | 45% | 48% | 42% | 46% | 44% | 42% | 47% | 42% | 47% | 46% | 45% | 47% | 39% |
| Not very confident | 111 | 47 | 64 | 48 | 62 | 26 | 85 | 33 | 31 | 26 | 21 | 85 | 26 |
| | 11% | 8% | 14% | 9% | 13% | 8% | 12% | 14% | 9% | 12% | 9% | 10% | 14% |
| Not at all confident | 62 | 26 | 36 | 12 | 51 | 11 | 52 | 25 | 24 | 5 | 8 | 30 | 32 |
| | 6% | 5% | 8% | 2% | 11% | 3% | 7% | 11% | 7% | 2% | 4% | 4% | 17% |
| SUMMARY CODES | | | | | | | | | | | | | |
| CONFIDENT | 839 | 480 | 359 | 486 | 353 | 269 | 570 | 169 | 301 | 177 | 192 | 715 | 124 |
| | 82% | 86% | 76% | 87% | 75% | 87% | 80% | 73% | 83% | 85% | 85% | 85% | 66% |
| UNCONFIDENT | 173 | 73 | 100 | 60 | 113 | 37 | 136 | 58 | 55 | 31 | 29 | 114 | 58 |
| | 17% | 13% | 21% | 11% | 24% | 12% | 19% | 25% | 15% | 15% | 13% | 14% | 31% |
| Don't know | 15 | 4 | 11 | 10 | 6 | 5 | 10 | 5 | 5 | 2 | 4 | 11 | 5 |
| | 2% | 1% | 2% | 2% | 1% | 2% | 1% | 2% | 1% | 1% | 2% | 1% | 3% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.8 How confident would you be giving CPR if, after dialling 999, the call handler talked you through giving CPR?

Base: All adults in Scotland

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|----------------------|------------|------------|----------------|--------------------|------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Very confident | 375 36% | 155 33% | 141 42% | 78 35% | 292 54% | 83 17% | 53 65% | 51 75% | 32 54% | 53 59% | 103 43% | 49 24% | 31 13% |
| Fairly confident | 464 45% | 224 48% | 139 41% | 102 46% | 208 39% | 256 53% | 22 27% | 17 25% | 27 46% | 32 36% | 109 46% | 122 59% | 115 47% |
| Not very confident | 111 11% | 52 11% | 37 11% | 21 9% | 25 5% | 82 17% | 5 6% | - - | - - | 4 5% | 15 6% | 27 13% | 45 19% |
| Not at all confident | 62 6% | 26 6% | 20 6% | 16 7% | 9 2% | 53 11% | - - | - - | - - | - - | 9 4% | 4 2% | 47 19% |
| SUMMARY CODES | | | | | | | | | | | | | |
| CONFIDENT | 839 82% | 379 82% | 280 82% | 180 81% | 499 93% | 339 70% | 75 92% | 68 100% | 59 100% | 86 95% | 212 89% | 170 82% | 146 60% |
| UNCONFIDENT | 173 17% | 79 17% | 57 17% | 37 16% | 34 6% | 136 28% | 5 6% | - - | - - | 4 5% | 24 10% | 31 15% | 93 38% |
| Don't know | 15 2% | 6 1% | 3 1% | 6 3% | 3 1% | 13 3% | 1 1% | - - | - - | - - | 2 1% | 6 3% | 5 2% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.9 What is your experience of administering CPR?

Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | SOCIAL GRADE | | | | | | |
|---|------------|------------|------------|-----------|-----------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| I have given CPR to someone else | 132 13% | 57 12% | 74 14% | 1 6% | 8 7% | 23 14% | 26 16% | 21 12% | 29 19% | 22 11% | 43 19% | 31 11% | 24 11% | 34 11% | 74 14% | 58 11% |
| I have seen someone else give CPR in real life but never done it myself | 147 14% | 64 13% | 84 16% | 3 13% | 15 12% | 34 21% | 23 14% | 26 14% | 19 12% | 27 13% | 31 14% | 41 14% | 31 15% | 45 15% | 72 14% | 76 15% |
| I have never seen anyone give CPR in real life | 739 72% | 368 75% | 371 70% | 21 82% | 98 80% | 103 64% | 118 71% | 136 74% | 106 68% | 157 75% | 146 66% | 219 75% | 151 73% | 224 73% | 365 71% | 374 73% |
| Don't know | 9 1% | 4 1% | 5 1% | - - | 1 1% | 1 1% | - - | 1 * | 2 1% | 4 2% | 1 * | 1 * | 2 1% | 5 2% | 2 * | 7 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.9 What is your experience of administering CPR?

Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|---|----------------|-------------------------------------|----------------|------------|----------------|------------|----------------|------------|------------|------------|-----------------|------------|------------|
| | Total | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| I have given CPR to someone else | 132 13% | 74 13% | 58 12% | 70 13% | 61 13% | 37 12% | 95 13% | 32 14% | 56 16% | 18 9% | 25 11% | 111 13% | 21 11% |
| I have seen someone else give CPR in real life but never done it myself | 147 14% | 87 16% | 61 13% | 82 15% | 65 14% | 48 15% | 99 14% | 29 12% | 50 14% | 34 16% | 35 16% | 130 16% | 17 9% |
| I have never seen anyone give CPR in real life | 739 72% | 396 71% | 343 73% | 398 72% | 341 72% | 224 72% | 515 72% | 166 72% | 252 70% | 156 75% | 165 73% | 596 71% | 144 77% |
| Don't know | 9 1% | 1 * | 8 2% | 4 1% | 5 1% | 2 1% | 7 1% | 4 2% | 4 1% | 1 1% | - | 3 * | 5 3% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.9 What is your experience of administering CPR?

Base: All adults in Scotland

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|---|------------|------------|----------------|--------------------|------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| I have given CPR to someone else | 132 13% | 62 13% | 46 14% | 23 10% | 114 21% | 17 4% | 26 32% | 13 19% | 11 19% | 18 20% | 46 20% | 10 5% | 6 2% |
| I have seen someone else give CPR in real life but never done it myself | 147 14% | 71 15% | 39 11% | 37 17% | 84 16% | 64 13% | 10 12% | 8 11% | 18 31% | 9 10% | 39 16% | 26 12% | 33 13% |
| I have never seen anyone give CPR in real life | 739 72% | 327 70% | 251 74% | 162 73% | 335 62% | 401 82% | 43 53% | 48 70% | 29 49% | 63 70% | 152 64% | 170 82% | 202 83% |
| Don't know | 9 1% | 4 1% | 4 1% | 1 * | 3 1% | 5 1% | 2 3% | - - | 1 1% | - - | 1 * | 1 1% | 3 1% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.10 I'd like you to imagine that you are walking down the street and you see an average person collapse. They are unconscious, not breathing and have no pulse. If you were the only person there, how likely or unlikely is it that you would give this person CPR?

Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|----------------------|------------|------------|------------|-----------|-----------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Extremely likely | 397 39% | 203 41% | 195 36% | 9 36% | 49 40% | 69 43% | 74 44% | 83 45% | 62 40% | 50 24% | 93 42% | 113 39% | 82 40% | 109 36% | 206 40% | 191 37% |
| Somewhat likely | 345 34% | 167 34% | 178 33% | 5 19% | 43 35% | 55 34% | 61 37% | 59 32% | 48 31% | 74 35% | 75 34% | 100 34% | 66 32% | 104 34% | 174 34% | 171 33% |
| Somewhat unlikely | 126 12% | 50 10% | 76 14% | 6 24% | 15 12% | 13 8% | 14 9% | 20 11% | 22 14% | 35 17% | 21 10% | 35 12% | 31 15% | 39 13% | 56 11% | 70 14% |
| Extremely unlikely | 111 11% | 53 11% | 58 11% | 2 9% | 10 8% | 14 8% | 11 7% | 15 8% | 17 11% | 42 20% | 25 12% | 32 11% | 18 9% | 36 12% | 57 11% | 54 11% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| LIKELY | 742 72% | 370 75% | 373 70% | 14 55% | 93 76% | 125 77% | 135 81% | 142 77% | 110 70% | 124 59% | 168 76% | 212 73% | 149 72% | 214 70% | 380 74% | 362 70% |
| UNLIKELY | 237 23% | 103 21% | 135 25% | 9 34% | 24 20% | 27 16% | 26 15% | 35 19% | 39 25% | 78 37% | 47 21% | 66 23% | 49 24% | 75 24% | 113 22% | 124 24% |
| Don't know | 47 5% | 21 4% | 26 5% | 3 12% | 5 4% | 10 6% | 6 4% | 6 3% | 7 5% | 9 4% | 6 3% | 13 4% | 9 5% | 19 6% | 19 4% | 28 5% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.10 I'd like you to imagine that you are walking down the street and you see an average person collapse. They are unconscious, not breathing and have no pulse. If you were the only person there, how likely or unlikely is it that you would give this person CPR?

Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|----------------------|-------------------------------------|----------------|----------------|----------------|----------|-------------|----------------|-----|-----|-----|-----------------|------|-----|
| | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None | |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Extremely likely | 397 | 230 | 167 | 244 | 153 | 135 | 262 | 77 | 145 | 86 | 89 | 352 | 45 |
| | 39% | 41% | 36% | 44% | 33% | 43% | 37% | 33% | 40% | 41% | 39% | 42% | 24% |
| Somewhat likely | 345 | 202 | 143 | 184 | 161 | 108 | 237 | 73 | 109 | 79 | 84 | 273 | 72 |
| | 34% | 36% | 30% | 33% | 34% | 35% | 33% | 32% | 30% | 38% | 37% | 33% | 38% |
| Somewhat unlikely | 126 | 61 | 65 | 60 | 66 | 32 | 94 | 29 | 53 | 17 | 27 | 104 | 22 |
| | 12% | 11% | 14% | 11% | 14% | 10% | 13% | 13% | 15% | 8% | 12% | 12% | 12% |
| Extremely unlikely | 111 | 45 | 66 | 36 | 75 | 22 | 90 | 40 | 38 | 17 | 16 | 73 | 39 |
| | 11% | 8% | 14% | 6% | 16% | 7% | 13% | 17% | 11% | 8% | 7% | 9% | 21% |
| SUMMARY CODES | | | | | | | | | | | | | |
| LIKELY | 742 | 432 | 310 | 428 | 314 | 243 | 499 | 150 | 254 | 165 | 173 | 626 | 116 |
| | 72% | 78% | 66% | 77% | 67% | 78% | 70% | 65% | 70% | 79% | 77% | 75% | 62% |
| UNLIKELY | 237 | 106 | 131 | 96 | 142 | 54 | 183 | 69 | 91 | 35 | 42 | 177 | 60 |
| | 23% | 19% | 28% | 17% | 30% | 17% | 26% | 30% | 25% | 17% | 19% | 21% | 32% |
| Don't know | 47 | 18 | 29 | 31 | 16 | 14 | 34 | 12 | 16 | 9 | 10 | 37 | 10 |
| | 5% | 3% | 6% | 6% | 3% | 4% | 5% | 5% | 4% | 4% | 5% | 4% | 6% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.10 I'd like you to imagine that you are walking down the street and you see an average person collapse. They are unconscious, not breathing and have no pulse. If you were the only person there, how likely or unlikely is it that you would give this person CPR?

Base: All adults in Scotland

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|----------------------|------------|------------|----------------|------------|--------------------|------------|--------------------------------|---------------------|--|---|----------------------|--|---|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Extremely likely | 397 39% | 173 37% | 143 42% | 80 36% | 301 56% | 96 20% | 62 76% | 38 55% | 41 69% | 53 59% | 108 45% | 51 24% | 42 17% |
| Somewhat likely | 345 34% | 153 33% | 110 32% | 82 37% | 166 31% | 177 36% | 14 18% | 27 40% | 14 23% | 26 29% | 85 36% | 85 41% | 80 33% |
| Somewhat unlikely | 126 12% | 63 14% | 38 11% | 24 11% | 33 6% | 91 19% | 1 1% | 3 5% | - - | 6 7% | 23 10% | 40 19% | 43 18% |
| Extremely unlikely | 111 11% | 42 9% | 40 12% | 29 13% | 14 3% | 97 20% | 2 2% | - - | - - | 2 3% | 10 4% | 19 9% | 69 28% |
| SUMMARY CODES | | | | | | | | | | | | | |
| LIKELY | 742 72% | 327 70% | 253 75% | 162 73% | 467 87% | 274 56% | 76 94% | 65 95% | 55 92% | 79 88% | 193 81% | 135 65% | 122 50% |
| UNLIKELY | 237 23% | 106 23% | 78 23% | 53 24% | 47 9% | 188 39% | 3 3% | 3 5% | - - | 9 10% | 33 14% | 60 29% | 112 46% |
| Don't know | 47 5% | 31 7% | 8 2% | 7 3% | 21 4% | 26 5% | 2 3% | - - | 5 8% | 2 2% | 12 5% | 13 6% | 10 4% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.11 Here is a list of some of the reasons people would not give CPR, which if any apply to you?

Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|--|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Fear I may catch a disease | 100 10% | 56 11% | 44 8% | 1 4% | 16 13% | 21 13% | 18 11% | 18 10% | 14 9% | 12 6% | 25 11% | 31 11% | 19 9% | 26 8% | 56 11% | 45 9% |
| Person looks dirty | 55 5% | 25 5% | 30 6% | - - | 2 2% | 17 11% | 10 6% | 9 5% | 7 4% | 11 5% | 15 7% | 14 5% | 8 4% | 18 6% | 29 6% | 26 5% |
| Visible sign of vomit/blood | 197 19% | 94 19% | 103 19% | 3 13% | 14 11% | 42 26% | 36 21% | 39 21% | 27 18% | 36 17% | 42 19% | 62 21% | 39 19% | 53 17% | 105 20% | 92 18% |
| Smell of alcohol | 105 10% | 53 11% | 52 10% | - - | 8 6% | 13 8% | 15 9% | 23 12% | 20 13% | 27 13% | 20 9% | 36 12% | 16 8% | 33 11% | 56 11% | 49 10% |
| Person is a drug user | 162 16% | 82 17% | 80 15% | 3 11% | 15 13% | 26 16% | 23 14% | 37 20% | 31 20% | 27 13% | 29 13% | 43 15% | 44 21% | 47 15% | 71 14% | 91 18% |
| Do not have the skills to give CPR | 192 19% | 84 17% | 108 20% | 1 4% | 30 25% | 33 20% | 21 13% | 30 16% | 28 18% | 49 23% | 51 23% | 53 18% | 31 15% | 57 18% | 104 20% | 88 17% |
| Do not have the confidence to give CPR | 150 15% | 67 14% | 83 16% | 2 10% | 16 13% | 33 20% | 23 13% | 17 9% | 20 13% | 39 18% | 35 16% | 46 16% | 24 11% | 44 14% | 82 16% | 68 13% |
| Fear of being sued | 85 8% | 50 10% | 35 7% | - - | 9 7% | 20 13% | 22 13% | 19 10% | 5 3% | 10 5% | 21 10% | 27 9% | 19 9% | 18 6% | 49 9% | 36 7% |
| Fear about causing injury/making things worse | 222 22% | 98 20% | 124 23% | 12 47% | 27 22% | 43 27% | 35 21% | 44 24% | 29 19% | 33 15% | 59 27% | 58 20% | 44 21% | 62 20% | 117 23% | 105 20% |
| I do not want to give mouth to mouth resuscitation | 67 7% | 34 7% | 32 6% | - - | 4 3% | 15 9% | 7 4% | 17 9% | 7 4% | 18 9% | 8 3% | 28 10% | 13 6% | 18 6% | 35 7% | 32 6% |
| I do not know the person | 22 2% | 12 3% | 9 2% | 1 4% | 4 3% | 4 3% | 6 3% | 2 1% | 3 2% | 2 1% | 1 * | 8 3% | 2 1% | 11 4% | 9 2% | 13 3% |
| Not sure if they need CPR | 147 14% | 74 15% | 73 14% | 5 18% | 20 16% | 25 15% | 14 8% | 27 15% | 22 14% | 35 16% | 35 16% | 46 16% | 30 14% | 36 12% | 81 16% | 66 13% |
| None | 343 33% | 170 34% | 173 32% | 5 18% | 33 27% | 45 28% | 58 35% | 60 33% | 64 41% | 78 37% | 72 33% | 89 31% | 75 36% | 106 34% | 162 32% | 181 35% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.11 Here is a list of some of the reasons people would not give CPR, which if any apply to you?

Base: All adults in Scotland

| | Total | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | |
|--|------------|-------------------------------------|----------------|----------------|----------------|------------|-------------|----------------|------------|-----------|-----------|-----------------|-----------|
| | | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Fear I may catch a disease | 100 10% | 60 11% | 40 9% | 67 12% | 33 7% | 34 11% | 66 9% | 22 9% | 33 9% | 28 13% | 17 8% | 85 10% | 15 8% |
| Person looks dirty | 55 5% | 35 6% | 20 4% | 36 6% | 19 4% | 21 7% | 34 5% | 12 5% | 16 4% | 15 7% | 12 5% | 45 5% | 10 5% |
| Visible sign of vomit/blood | 197 19% | 114 21% | 82 18% | 125 23% | 72 15% | 60 19% | 137 19% | 43 19% | 66 18% | 39 19% | 49 22% | 174 21% | 23 12% |
| Smell of alcohol | 105 10% | 63 11% | 42 9% | 59 11% | 47 10% | 24 8% | 81 11% | 27 12% | 41 11% | 19 9% | 19 9% | 86 10% | 20 11% |
| Person is a drug user | 162 16% | 89 16% | 73 16% | 110 20% | 53 11% | 55 18% | 107 15% | 43 19% | 47 13% | 42 20% | 31 14% | 130 16% | 32 17% |
| Do not have the skills to give CPR | 192 19% | 104 19% | 88 19% | 91 16% | 101 21% | 53 17% | 139 19% | 37 16% | 77 21% | 41 20% | 37 16% | 152 18% | 40 21% |
| Do not have the confidence to give CPR | 150 15% | 81 15% | 69 15% | 71 13% | 79 17% | 47 15% | 102 14% | 36 16% | 49 14% | 33 16% | 31 14% | 120 14% | 30 16% |
| Fear of being sued | 85 8% | 54 10% | 31 7% | 58 10% | 27 6% | 32 10% | 53 7% | 17 8% | 22 6% | 22 11% | 23 10% | 76 9% | 9 5% |
| Fear about causing injury/making things worse | 222 22% | 123 22% | 99 21% | 131 24% | 91 19% | 70 23% | 152 21% | 44 19% | 74 20% | 51 24% | 53 24% | 186 22% | 36 19% |
| I do not want to give mouth to mouth resuscitation | 67 7% | 42 8% | 25 5% | 38 7% | 28 6% | 22 7% | 45 6% | 13 6% | 23 6% | 20 10% | 11 5% | 53 6% | 14 7% |
| I do not know the person | 22 2% | 14 2% | 8 2% | 11 2% | 11 2% | 9 3% | 12 2% | 3 1% | 4 1% | 9 4% | 7 3% | 19 2% | 2 1% |
| Not sure if they need CPR | 147 14% | 75 14% | 72 15% | 74 13% | 73 16% | 35 11% | 112 16% | 35 15% | 52 14% | 32 15% | 28 12% | 118 14% | 29 16% |
| None | 343 33% | 181 32% | 162 34% | 185 33% | 158 33% | 111 36% | 232 32% | 86 37% | 113 31% | 65 31% | 78 35% | 277 33% | 65 35% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.11 Here is a list of some of the reasons people would not give CPR, which if any apply to you?

Base: All adults in Scotland

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|--|------------|------------|----------------|-----------|--------------------|------------|--------------------------|------------------|--|---|-------------------|-----------------------------------|---------------------------------------|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Fear I may catch a disease | 100 10% | 54 12% | 21 6% | 26 12% | 52 10% | 48 10% | 10 13% | 13 20% | 2 3% | 8 9% | 18 8% | 24 12% | 18 7% |
| Person looks dirty | 55 5% | 23 5% | 17 5% | 15 7% | 27 5% | 28 6% | 3 4% | 5 7% | 1 1% | 3 4% | 15 6% | 11 5% | 12 5% |
| Visible sign of vomit/blood | 197 19% | 65 14% | 74 22% | 58 26% | 124 23% | 72 15% | 21 26% | 12 18% | 12 20% | 21 24% | 57 24% | 36 17% | 30 12% |
| Smell of alcohol | 105 10% | 38 8% | 28 8% | 39 18% | 62 12% | 44 9% | 7 8% | 8 12% | 5 9% | 11 12% | 31 13% | 15 7% | 23 9% |
| Person is a drug user | 162 16% | 66 14% | 49 14% | 47 21% | 97 18% | 65 13% | 14 17% | 18 27% | 6 11% | 11 12% | 48 20% | 36 17% | 24 10% |
| Do not have the skills to give CPR | 192 19% | 86 19% | 74 22% | 32 14% | 22 4% | 171 35% | 2 3% | 1 2% | 1 2% | 2 2% | 15 6% | 78 38% | 77 32% |
| Do not have the confidence to give CPR | 150 15% | 75 16% | 46 14% | 29 13% | 37 7% | 112 23% | 2 3% | 2 4% | 1 2% | 8 9% | 24 10% | 46 22% | 55 23% |
| Fear of being sued | 85 8% | 25 5% | 32 9% | 27 12% | 49 9% | 36 7% | 6 8% | 6 9% | 3 5% | 12 13% | 21 9% | 24 12% | 10 4% |
| Fear about causing injury/making things worse | 222 22% | 112 24% | 74 22% | 36 16% | 93 17% | 129 26% | 8 10% | 9 13% | 13 21% | 20 22% | 44 18% | 68 33% | 52 21% |
| I do not want to give mouth to mouth resuscitation | 67 7% | 35 8% | 21 6% | 11 5% | 34 6% | 33 7% | 4 5% | 7 11% | 1 2% | 4 4% | 18 8% | 14 7% | 15 6% |
| I do not know the person | 22 2% | 8 2% | 6 2% | 8 4% | 9 2% | 13 3% | 1 1% | 4 6% | - - | 4 4% | 1 * | 2 1% | 10 4% |
| Not sure if they need CPR | 147 14% | 86 18% | 43 13% | 18 8% | 50 9% | 95 20% | 8 10% | 1 2% | 4 7% | 9 10% | 28 12% | 53 26% | 38 16% |
| None | 343 33% | 136 29% | 125 37% | 82 37% | 222 41% | 120 25% | 40 49% | 30 44% | 32 55% | 33 37% | 87 36% | 40 19% | 72 30% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - SUMMARY TABLE

Base: All adults in Scotland

| | Everyone should be trained in CPR | I would rather try giving CPR than do nothing | I would be worried that I might make matters worse if I gave someone CPR | I would be worried that I might be sued if I gave someone CPR |
|----------------------------|-----------------------------------|---|--|---|
| Unweighted Base | 1027 | 1027 | 1027 | 1027 |
| Weighted Base | 1027 | 1027 | 1027 | 1027 |
| Strongly agree | 273 27% | 359 35% | 98 10% | 54 5% |
| Agree | 516 50% | 494 48% | 356 35% | 248 24% |
| Neither agree nor disagree | 153 15% | 124 12% | 173 17% | 188 18% |
| Disagree | 78 8% | 36 3% | 284 28% | 364 35% |
| Strongly disagree | 7 1% | 14 1% | 117 11% | 173 17% |
| SUMMARY CODES | | | | |
| AGREE | 789 77% | 853 83% | 453 44% | 302 29% |
| DISAGREE | 85 8% | 50 5% | 401 39% | 537 52% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_01 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - Everyone should be trained in CPR
Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|----------------------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Strongly agree | 273 27% | 111 22% | 163 30% | 9 36% | 33 27% | 55 34% | 45 27% | 45 24% | 45 29% | 42 20% | 63 29% | 69 24% | 59 28% | 83 27% | 132 26% | 142 28% |
| Agree | 516 50% | 254 51% | 262 49% | 12 48% | 67 55% | 82 51% | 89 53% | 81 44% | 80 51% | 106 50% | 101 46% | 139 48% | 115 56% | 160 52% | 240 47% | 276 54% |
| Neither agree nor disagree | 153 15% | 89 18% | 64 12% | 4 16% | 19 15% | 17 10% | 27 16% | 28 15% | 17 11% | 41 20% | 35 16% | 57 19% | 19 9% | 43 14% | 91 18% | 62 12% |
| Disagree | 78 8% | 35 7% | 42 8% | - - | 4 3% | 6 4% | 4 3% | 28 15% | 14 9% | 21 10% | 21 10% | 26 9% | 12 6% | 19 6% | 47 9% | 31 6% |
| Strongly disagree | 7 1% | 4 1% | 2 * | - - | - - | 2 1% | 1 1% | 2 1% | 1 1% | 1 1% | - - | 2 1% | 2 1% | 3 1% | 2 * | 5 1% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| AGREE | 789 77% | 364 74% | 425 80% | 21 84% | 100 81% | 136 84% | 135 80% | 126 68% | 124 80% | 148 70% | 165 75% | 207 71% | 174 84% | 243 79% | 372 73% | 417 81% |
| DISAGREE | 85 8% | 40 8% | 45 8% | - - | 4 3% | 8 5% | 5 3% | 30 16% | 15 10% | 22 10% | 21 10% | 28 9% | 14 7% | 21 7% | 49 10% | 35 7% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_01 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - Everyone should be trained in CPR
Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|----------------------------|-------------------------------------|----------------|----------------|----------------|----------|-------------|----------------|-----|-----|-----|-----------------|------|-----|
| | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None | |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Strongly agree | 273 | 137 | 137 | 150 | 123 | 90 | 184 | 60 | 94 | 61 | 59 | 227 | 46 |
| | 27% | 25% | 29% | 27% | 26% | 29% | 26% | 26% | 26% | 29% | 26% | 27% | 25% |
| Agree | 516 | 287 | 229 | 274 | 242 | 163 | 353 | 109 | 187 | 101 | 119 | 416 | 100 |
| | 50% | 51% | 49% | 49% | 51% | 53% | 49% | 47% | 52% | 48% | 53% | 50% | 53% |
| Neither agree nor disagree | 153 | 82 | 71 | 85 | 69 | 41 | 112 | 35 | 54 | 37 | 26 | 128 | 25 |
| | 15% | 15% | 15% | 15% | 15% | 13% | 16% | 15% | 15% | 18% | 12% | 15% | 14% |
| Disagree | 78 | 47 | 31 | 43 | 35 | 17 | 61 | 25 | 22 | 10 | 21 | 62 | 16 |
| | 8% | 8% | 7% | 8% | 7% | 5% | 9% | 11% | 6% | 5% | 9% | 7% | 8% |
| Strongly disagree | 7 | 4 | 3 | 3 | 4 | - | 7 | 2 | 5 | - | - | 7 | - |
| | 1% | 1% | 1% | 1% | 1% | - | 1% | 1% | 1% | - | - | 1% | - |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 789 | 424 | 366 | 424 | 365 | 253 | 536 | 169 | 280 | 162 | 178 | 643 | 146 |
| | 77% | 76% | 78% | 76% | 77% | 81% | 75% | 73% | 78% | 77% | 79% | 77% | 78% |
| DISAGREE | 85 | 51 | 33 | 46 | 38 | 17 | 68 | 26 | 27 | 10 | 21 | 69 | 16 |
| | 8% | 9% | 7% | 8% | 8% | 5% | 9% | 11% | 7% | 5% | 9% | 8% | 8% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_01 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - Everyone should be trained in CPR
Base: All adults in Scotland

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|----------------------------|------------|------------|----------------|--------------------|------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Strongly agree | 273 27% | 101 22% | 114 33% | 59 26% | 188 35% | 86 18% | 35 43% | 24 35% | 26 44% | 24 27% | 79 33% | 62 30% | 22 9% |
| Agree | 516 50% | 269 58% | 149 44% | 97 43% | 266 50% | 247 51% | 33 41% | 32 47% | 21 35% | 51 56% | 129 54% | 113 55% | 117 48% |
| Neither agree nor disagree | 153 15% | 57 12% | 51 15% | 45 20% | 40 7% | 113 23% | 7 9% | 7 10% | 11 18% | 1 1% | 14 6% | 23 11% | 75 31% |
| Disagree | 78 8% | 32 7% | 25 7% | 21 10% | 37 7% | 40 8% | 4 5% | 4 6% | 1 2% | 13 15% | 14 6% | 10 5% | 27 11% |
| Strongly disagree | 7 1% | 4 1% | 1 * | 1 1% | 5 1% | 1 * | 2 3% | 1 1% | - - | 1 1% | 1 1% | - - | 1 1% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 789 77% | 371 80% | 263 77% | 156 70% | 453 85% | 332 68% | 68 84% | 56 82% | 47 80% | 74 83% | 208 87% | 175 84% | 140 57% |
| DISAGREE | 85 8% | 36 8% | 26 8% | 23 10% | 43 8% | 42 9% | 6 8% | 5 8% | 1 2% | 14 16% | 16 7% | 10 5% | 29 12% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_02 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would rather try giving CPR than do nothing
Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|----------------------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Strongly agree | 359 35% | 172 35% | 187 35% | 7 26% | 53 43% | 64 40% | 70 42% | 63 35% | 52 33% | 49 23% | 82 37% | 109 37% | 69 33% | 99 32% | 191 37% | 168 33% |
| Agree | 494 48% | 238 48% | 256 48% | 16 64% | 53 44% | 68 42% | 76 46% | 95 52% | 81 52% | 104 49% | 94 42% | 142 49% | 105 50% | 154 50% | 235 46% | 259 50% |
| Neither agree nor disagree | 124 12% | 54 11% | 70 13% | 3 11% | 14 11% | 25 16% | 13 8% | 16 9% | 16 10% | 37 18% | 32 14% | 28 9% | 26 12% | 39 13% | 59 12% | 65 13% |
| Disagree | 36 3% | 22 4% | 14 3% | - - | 1 1% | 3 2% | 5 3% | 8 4% | 4 3% | 14 7% | 10 5% | 12 4% | 5 2% | 9 3% | 22 4% | 14 3% |
| Strongly disagree | 14 1% | 7 1% | 7 1% | - - | 1 1% | 1 1% | 3 2% | 1 * | 3 2% | 6 3% | 3 1% | 2 1% | 3 2% | 6 2% | 4 1% | 10 2% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| AGREE | 853 83% | 410 83% | 443 83% | 23 89% | 106 87% | 132 82% | 147 88% | 159 86% | 134 86% | 153 73% | 176 80% | 251 86% | 174 84% | 253 82% | 427 83% | 427 83% |
| DISAGREE | 50 5% | 29 6% | 21 4% | - - | 2 2% | 4 2% | 8 5% | 9 5% | 7 4% | 20 10% | 13 6% | 13 5% | 8 4% | 15 5% | 26 5% | 23 5% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_02 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would rather try giving CPR than do nothing
Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|----------------------------|-------------------------------------|----------------|----------------|----------------|----------|-------------|----------------|-----|-----|-----|-----------------|------|-----|
| | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None | |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Strongly agree | 359 | 198 | 161 | 226 | 133 | 112 | 246 | 70 | 130 | 79 | 79 | 318 | 41 |
| | 35% | 36% | 34% | 41% | 28% | 36% | 34% | 30% | 36% | 38% | 35% | 38% | 22% |
| Agree | 494 | 274 | 221 | 253 | 241 | 155 | 339 | 102 | 170 | 105 | 117 | 400 | 94 |
| | 48% | 49% | 47% | 46% | 51% | 50% | 47% | 44% | 47% | 50% | 52% | 48% | 50% |
| Neither agree nor disagree | 124 | 58 | 66 | 57 | 67 | 31 | 93 | 42 | 40 | 20 | 22 | 90 | 34 |
| | 12% | 10% | 14% | 10% | 14% | 10% | 13% | 18% | 11% | 9% | 10% | 11% | 18% |
| Disagree | 36 | 21 | 15 | 16 | 20 | 11 | 25 | 10 | 14 | 6 | 7 | 26 | 10 |
| | 3% | 4% | 3% | 3% | 4% | 4% | 3% | 4% | 4% | 3% | 3% | 3% | 5% |
| Strongly disagree | 14 | 6 | 8 | 3 | 11 | 1 | 13 | 6 | 7 | - | 1 | 6 | 8 |
| | 1% | 1% | 2% | 1% | 2% | * | 2% | 3% | 2% | - | 1% | 1% | 4% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 853 | 472 | 382 | 479 | 374 | 267 | 586 | 173 | 301 | 184 | 195 | 718 | 135 |
| | 83% | 85% | 81% | 86% | 79% | 86% | 82% | 75% | 83% | 88% | 87% | 86% | 72% |
| DISAGREE | 50 | 27 | 23 | 19 | 31 | 12 | 38 | 16 | 20 | 6 | 8 | 32 | 18 |
| | 5% | 5% | 5% | 3% | 7% | 4% | 5% | 7% | 6% | 3% | 3% | 4% | 10% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_02 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would rather try giving CPR than do nothing
Base: All adults in Scotland

| | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | | |
|----------------------------|------------|------------|----------------|--------------------|------------|------------------|--------------------------------|---------------------|--|---|--------------------------|--|---|
| | Total | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Strongly agree | 359 35% | 137 29% | 143 42% | 79 36% | 251 47% | 108 22% | 46 56% | 35 51% | 35 59% | 36 41% | 99 42% | 62 30% | 38 15% |
| Agree | 494 48% | 258 56% | 141 41% | 96 43% | 244 46% | 248 51% | 28 34% | 27 40% | 21 36% | 51 56% | 117 49% | 112 54% | 119 49% |
| Neither agree nor disagree | 124 12% | 45 10% | 43 13% | 36 16% | 30 6% | 93 19% | 7 8% | 5 8% | 3 5% | 1 1% | 14 6% | 23 11% | 62 26% |
| Disagree | 36 3% | 19 4% | 10 3% | 7 3% | 8 2% | 28 6% | 1 1% | - - | - - | 2 2% | 5 2% | 8 4% | 16 7% |
| Strongly disagree | 14 1% | 5 1% | 4 1% | 5 2% | 3 1% | 11 2% | - - | 1 1% | - - | - - | 2 1% | 3 1% | 8 3% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 853 83% | 395 85% | 283 83% | 175 78% | 495 92% | 356 73% | 73 90% | 62 91% | 56 95% | 87 97% | 216 91% | 174 84% | 157 64% |
| DISAGREE | 50 5% | 24 5% | 14 4% | 12 5% | 11 2% | 39 8% | 1 1% | 1 1% | - - | 2 2% | 7 3% | 10 5% | 25 10% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_03 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might make matters worse if I gave someone CPR
Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|----------------------------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|--------------|------------|-----------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Strongly agree | 98 10% | 36 7% | 62 12% | 1 5% | 13 10% | 15 10% | 11 7% | 22 12% | 16 10% | 19 9% | 27 12% | 30 10% | 10 5% | 31 10% | 57 11% | 41 8% |
| Agree | 356 35% | 162 33% | 194 36% | 11 44% | 50 41% | 54 34% | 60 36% | 54 29% | 47 30% | 80 38% | 68 31% | 91 31% | 80 38% | 117 38% | 160 31% | 196 38% |
| Neither agree nor disagree | 173 17% | 89 18% | 83 16% | 5 18% | 23 18% | 26 16% | 29 17% | 27 15% | 27 17% | 37 17% | 37 17% | 54 18% | 34 16% | 47 15% | 91 18% | 82 16% |
| Disagree | 284 28% | 145 29% | 138 26% | 6 23% | 28 23% | 44 27% | 40 24% | 62 34% | 47 30% | 56 27% | 54 24% | 87 30% | 63 30% | 81 26% | 141 27% | 143 28% |
| Strongly disagree | 117 11% | 61 12% | 57 11% | 2 10% | 9 8% | 21 13% | 27 16% | 20 11% | 19 12% | 18 8% | 35 16% | 30 10% | 21 10% | 31 10% | 65 13% | 52 10% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| AGREE | 453 44% | 198 40% | 256 48% | 13 49% | 62 51% | 70 43% | 71 42% | 76 41% | 63 40% | 100 47% | 95 43% | 121 42% | 90 43% | 148 48% | 216 42% | 237 46% |
| DISAGREE | 401 39% | 206 42% | 195 37% | 8 33% | 37 31% | 66 41% | 68 40% | 82 44% | 66 42% | 74 35% | 88 40% | 117 40% | 84 40% | 112 37% | 205 40% | 196 38% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_03 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might make matters worse if I gave someone CPR
Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|----------------------------|--------------------------------------|----------------|----------------|----------------|------------|-------------|----------------|------------|------------|-----------|-----------------|------------|------------|
| | Married \\Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None | |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Strongly agree | 98 10% | 50 9% | 48 10% | 52 9% | 46 10% | 21 7% | 76 11% | 27 12% | 30 8% | 23 11% | 18 8% | 79 9% | 19 10% |
| Agree | 356 35% | 189 34% | 167 36% | 176 32% | 180 38% | 109 35% | 247 34% | 77 33% | 121 34% | 70 33% | 88 39% | 269 32% | 87 46% |
| Neither agree nor disagree | 173 17% | 89 16% | 84 18% | 94 17% | 79 17% | 54 17% | 119 17% | 37 16% | 62 17% | 31 15% | 42 19% | 144 17% | 29 15% |
| Disagree | 284 28% | 159 28% | 125 27% | 165 30% | 119 25% | 80 26% | 204 28% | 68 30% | 102 28% | 61 29% | 53 23% | 244 29% | 40 22% |
| Strongly disagree | 117 11% | 71 13% | 47 10% | 69 12% | 48 10% | 46 15% | 71 10% | 21 9% | 47 13% | 25 12% | 25 11% | 105 12% | 12 7% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 453 44% | 239 43% | 215 46% | 227 41% | 226 48% | 130 42% | 323 45% | 104 45% | 151 42% | 93 44% | 106 47% | 348 41% | 106 57% |
| DISAGREE | 401 39% | 229 41% | 172 37% | 234 42% | 167 35% | 127 41% | 274 38% | 89 39% | 149 41% | 86 41% | 77 34% | 348 41% | 53 28% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_03 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might make matters worse if I gave someone CPR
Base: All adults in Scotland

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|----------------------------|------------|------------|----------------|-----------|--------------------|------------|--------------------------------|---------------------|--|---|----------------------|--|---|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Strongly agree | 98 10% | 36 8% | 47 14% | 15 7% | 30 6% | 68 14% | 2 2% | 2 3% | 1 2% | 5 6% | 20 8% | 27 13% | 36 15% |
| Agree | 356 35% | 184 40% | 105 31% | 67 30% | 127 24% | 225 46% | 11 13% | 13 19% | 10 18% | 20 23% | 73 31% | 104 50% | 103 42% |
| Neither agree nor disagree | 173 17% | 67 14% | 50 15% | 56 25% | 86 16% | 87 18% | 14 17% | 10 14% | 13 23% | 18 20% | 31 13% | 28 13% | 52 22% |
| Disagree | 284 28% | 137 29% | 86 25% | 61 28% | 195 36% | 89 18% | 32 40% | 28 42% | 20 34% | 34 38% | 80 34% | 41 20% | 40 17% |
| Strongly disagree | 117 11% | 41 9% | 53 15% | 24 11% | 98 18% | 19 4% | 22 27% | 15 22% | 15 25% | 12 14% | 34 14% | 8 4% | 11 5% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 453 44% | 220 47% | 152 45% | 82 37% | 157 29% | 293 60% | 13 16% | 15 22% | 11 19% | 25 28% | 93 39% | 131 63% | 139 57% |
| DISAGREE | 401 39% | 177 38% | 138 41% | 85 38% | 293 55% | 108 22% | 55 67% | 43 64% | 34 58% | 47 52% | 114 48% | 49 23% | 52 21% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_04 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might be sued if I gave someone CPR
Base: All adults in Scotland

| | Total | GENDER | | AGE | | | | | | | SOCIAL GRADE | | | | | |
|----------------------------|------------|------------|------------|-----------|-----------|-----------|-----------|------------|-----------|-----------|--------------|------------|------------|------------|------------|------------|
| | | Male | Female | 16-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | AB | C1 | C2 | DE | ABC1 | C2DE |
| Unweighted Base | 1027 | 475 | 552 | 21 | 94 | 137 | 144 | 177 | 133 | 321 | 202 | 275 | 215 | 335 | 477 | 550 |
| Weighted Base | 1027 | 493 | 534 | 26 | 122 | 161 | 167 | 184 | 156 | 211 | 221 | 292 | 207 | 307 | 512 | 515 |
| Strongly agree | 54 5% | 26 5% | 28 5% | 1 5% | 3 2% | 7 4% | 8 5% | 15 8% | 8 5% | 12 6% | 10 4% | 14 5% | 10 5% | 20 6% | 24 5% | 30 6% |
| Agree | 248 24% | 120 24% | 128 24% | 7 27% | 27 22% | 44 28% | 43 26% | 38 20% | 36 23% | 53 25% | 62 28% | 66 23% | 46 22% | 74 24% | 128 25% | 120 23% |
| Neither agree nor disagree | 188 18% | 86 18% | 101 19% | 4 18% | 25 20% | 33 21% | 23 14% | 25 14% | 28 18% | 49 23% | 28 13% | 67 23% | 43 21% | 50 16% | 95 19% | 92 18% |
| Disagree | 364 35% | 172 35% | 192 36% | 8 31% | 48 40% | 49 30% | 62 37% | 69 38% | 58 37% | 70 33% | 79 36% | 95 33% | 72 35% | 118 39% | 174 34% | 190 37% |
| Strongly disagree | 173 17% | 88 18% | 85 16% | 5 18% | 20 16% | 27 17% | 31 19% | 37 20% | 26 17% | 27 13% | 43 19% | 49 17% | 37 18% | 45 15% | 91 18% | 82 16% |
| SUMMARY CODES | | | | | | | | | | | | | | | | |
| AGREE | 302 29% | 146 30% | 156 29% | 8 33% | 30 24% | 51 32% | 51 31% | 52 29% | 44 28% | 65 31% | 71 32% | 81 28% | 56 27% | 94 30% | 152 30% | 150 29% |
| DISAGREE | 537 52% | 260 53% | 277 52% | 13 50% | 68 56% | 76 47% | 93 56% | 106 58% | 84 54% | 97 46% | 121 55% | 144 49% | 109 52% | 164 53% | 265 52% | 272 53% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_04 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might be sued if I gave someone CPR
Base: All adults in Scotland

| | MARITAL STATUS | | WORKING STATUS | | CHILDREN | | HOUSEHOLD SIZE | | | | INTERNET ACCESS | | |
|-------------------------------|-------------------------------------|----------------|----------------|----------------|------------|-------------|----------------|------------|------------|------------|-----------------|------------|-----------|
| | Married \Living as Married | Not Married | Working | Not working | Child | No child | 1 | 2 | 3 | 4+ | Any | None | |
| Unweighted Base | 1027 | 537 | 490 | 454 | 573 | 275 | 752 | 270 | 370 | 190 | 197 | 795 | 232 |
| Weighted Base | 1027 | 557 | 470 | 555 | 472 | 311 | 716 | 231 | 361 | 209 | 225 | 840 | 187 |
| Strongly agree | 54 5% | 34 6% | 20 4% | 35 6% | 19 4% | 14 4% | 40 6% | 13 6% | 17 5% | 15 7% | 9 4% | 46 5% | 8 4% |
| Agree | 248 24% | 141 25% | 106 23% | 134 24% | 114 24% | 68 22% | 180 25% | 52 23% | 85 24% | 50 24% | 60 27% | 193 23% | 55 29% |
| Neither agree nor disagree | 188 18% | 96 17% | 92 20% | 96 17% | 91 19% | 56 18% | 132 18% | 48 21% | 64 18% | 36 17% | 40 18% | 142 17% | 46 24% |
| Disagree | 364 35% | 187 34% | 177 38% | 198 36% | 166 35% | 120 39% | 244 34% | 83 36% | 118 33% | 76 36% | 86 38% | 306 36% | 58 31% |
| Strongly disagree | 173 17% | 97 17% | 76 16% | 91 16% | 82 17% | 53 17% | 120 17% | 35 15% | 77 21% | 31 15% | 30 13% | 153 18% | 20 11% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 302 29% | 176 32% | 126 27% | 169 30% | 133 28% | 81 26% | 220 31% | 65 28% | 102 28% | 65 31% | 70 31% | 239 28% | 63 33% |
| DISAGREE | 537 52% | 285 51% | 252 54% | 289 52% | 248 53% | 173 56% | 364 51% | 118 51% | 196 54% | 108 51% | 116 51% | 458 55% | 79 42% |

CPR (QS9823 - 731332/731232/731333/731233)

Q.12_04 People have different views about CPR. I'm going to read you some things other people have said and I'd like you to tell me from this card how much you agree or disagree with each. - I would be worried that I might be sued if I gave someone CPR
Base: All adults in Scotland

| | Total | REGION | | | Q.1 TRAINED IN CPR | | Q.3 WHEN TRAINED | | | | | Q.4 FEELINGS TOWARDS CPR | |
|----------------------------|------------|------------|----------------|------------|--------------------|------------|--------------------------------|---------------------|--|---|----------------------|--|---|
| | | West | East/ South | North | Yes | No | Within the last 6 months | 7- 12 months ago | More than one year but less than 2 years | More than 2 years but less than 5 years | More than 5 years | I would like to be trained in CPR | I would not like to be trained in CPR |
| Unweighted Base | 1027 | 443 | 353 | 231 | 506 | 519 | 68 | 59 | 51 | 83 | 245 | 198 | 284 |
| Weighted Base | 1027 | 464 | 340 | 223 | 536 | 488 | 81 | 68 | 59 | 90 | 238 | 208 | 243 |
| Strongly agree | 54 5% | 17 4% | 22 6% | 16 7% | 22 4% | 32 7% | 3 4% | 5 7% | 3 5% | 1 1% | 11 5% | 15 7% | 14 6% |
| Agree | 248 24% | 122 26% | 75 22% | 52 23% | 120 22% | 127 26% | 16 20% | 18 26% | 9 15% | 23 26% | 55 23% | 54 26% | 64 26% |
| Neither agree nor disagree | 188 18% | 91 20% | 51 15% | 46 20% | 73 14% | 115 24% | 11 14% | 13 19% | 6 10% | 15 17% | 28 12% | 37 18% | 65 27% |
| Disagree | 364 35% | 174 37% | 114 33% | 77 35% | 204 38% | 158 32% | 30 37% | 17 25% | 25 42% | 37 41% | 95 40% | 76 37% | 72 30% |
| Strongly disagree | 173 17% | 61 13% | 79 23% | 33 15% | 117 22% | 56 11% | 21 26% | 15 23% | 17 28% | 15 16% | 49 21% | 26 12% | 29 12% |
| SUMMARY CODES | | | | | | | | | | | | | |
| AGREE | 302 29% | 138 30% | 96 28% | 67 30% | 142 26% | 158 32% | 19 23% | 22 33% | 12 20% | 23 26% | 66 28% | 68 33% | 77 32% |
| DISAGREE | 537 52% | 235 51% | 193 57% | 110 49% | 321 60% | 214 44% | 51 63% | 33 48% | 42 70% | 51 57% | 144 61% | 102 49% | 101 42% |