FHI 059, Version 13		Issued by: FHI	Date of issue: 1	2/05/2020
Case No: 2023-0357			Date of visit: 09/08/20	023
Time spent on site:	6 hours 30 minutes	Mair	Inspector:	
Site No: FS0629 Business No: FB0119	Site Name: Business Name:	Poll Na Gille Mowi Scotland Ltd		
Case Types: 1 DIA	2 REP 3	4 5	6	
Water Temp (°C): 14.5	Thermometer No:	T155	FHI 045 completed	
Observations:	Region: ST	Water type: S	CoGP MA M-40	
Dead/weak/abnormally behavin Clinical signs of disease observ Gross pathology observed? Diagnostic samples taken?	g fish present? ed?	Y If yes, see additi Y If yes, see additi Y If yes, see additi Y	onal information/clinical score she onal information/clinical score she onal information/clinical score she	et. et. et.
UNI/REG only - if unable to carr	y out intended visit detai	l reason below:		

FHI 059, Version 13 Additional Case Information:

Mortalities removed by boat to Kames pier - uplift by Billy Bowie for onward disposal.

Lost 34% of stock since last inspection (Nov 2022). 20% at November / December time attributed to piscirickettsia. Lesions and thinner fish continuing through cycle.

Mortality - week/no: 32 - 1.19% (to 8/8/23 only); 31 - 4.88%, 30 - 6.14%; 29 - 1.37%; 28 - 1.93%; 27 - 1.07%; 26 - 0.53%. also week 12 - 0.9%; week 1 - 1%.

Due to increased sea lice on site, specifically caligus, Alphamax treatment conducted week 28.

Recent mortality higher in pens 5, 7, 8, 9 - up to 5k fish per cage for past two weeks (between 2.5k and 5k). Two weeks before this 650 - 2.5k. Recent mortality attributed to PD. Some mortality attributed to FW applications and actions to control sea lice.

Third party surveillance since Nov 2022 - PRV1, SAV PD, Tenacibaculum spp., Piscirickettsia, Moritella viscosa. Prior to this -Flaviovirus in cleaner fish and atypical frunculosis (cleaner fish or salmon - to check).

Treating for sea lice - combined adult female average 1.69 (gravids 0.76). Some recent increase in lice - being managed on site and site to fallow soon.

Mortality within cleaner fish - none reported since week 25 for wrasse and week 26 for lumpfish. Within lumpfish mortality generally less than / around 1% weekly with the exception of weeks 17 - 2.42%, 21 - 3.25%, 22 - 8.22% - increases mainly attributed to moritella. Within wrasse stocks moratlity generally <1% and mainly attributed to wounds and fin damage.

FHI 059, Version 13			Issued by: F	ΉI		Date of	f issue: 12/05/2020
Case No: 2023-035	7	Site No:	FS0629	9			
Date of Visit:	09/08/2023	3		Inspector(s)			
Registration/Authorisati	on Details						
1. Business/site details su	mmarv checke	d bv site repre	esentative?			Y	7
2. Changes made to detai	ls?	, ,				Ν	
Site Details (include clea	nor fish for al	l sections)					
Total No facilities		Eacilities sto	ocked	11	No facilities	inspected	7
Species A Salmor	Wrasse	Lumpfish					
Age group $2022 \Omega^2$	Mixed - wild	2021		1	-		
No Fish 291 791	3 678	16 125					
Mean Fish Wt 4 3kg	60-70g	60-80g					
Next Fallow Date (Site)	Sep 2023	00 00g	Next Input D	Date (Site)	March/April	2024 - Q2s	
Recent (last 4 wks) diseas	se problems?		· ·	Any escapes	s (since last vi	sit)?	N
If yes, detail: Pancreas	disease		-		× ·	,	
 Movement Records 1. Movement records available 2. Date of last inspection: 3. Are records complete a 4. Are movement records 5. Are records complete a 6. Are health certificates for Transport Records Are any movements ca If yes, is there a system in 	lable for inspect nd correctly en- available for de nd correctly en- printroductions rried out by (or place for main	tered? ead fish and w tered? (outwith GB) on behalf) of t tenance of tra	raste? available? the business insportation re	(not using a S ecords?	TB)?	08/06/22 in	Y MB Y Y Y N/A
Mortality Records							
1. Mortality records availa	ble for inspection	on?			1.1		Y
2. How are mortalities dis	Dosed of?			Biogas - Bar	кір		
3 Mortality records compl	oto and correct	ly optorod?					V
4 Recent mortality (last 4	wke).	$\frac{1}{10000000000000000000000000000000000$	in colmon for	the site and	additional inf	ormation	1
5 Evidence of recent incr	eased/atypical r	mortalities?		the site - see		ormation.	Y
If ves, facility nos/no morta	ality per facility/	no stock per f	acility/reason:				
see additional information							
6. Any other peaks in mor	tality during per	iod checked?					Y
If yes, detail: see addition	onal information	า					
7. Have increased (unexp	lained) mortaliti	es been repo	rted to vet or	FHI?			Y
If yes, detail action:							
8. Have 'mortality events'	been reported t	o FHI? If no, e	enter details c	on mortality ev	ents sheet.		Y

Treatments an	d Medicines Records			
1. Recent treatr	ments (see comment)?			Y
If yes, detail:	Tricane for lice counts.	FW application	s and hydrolicer for sea lice	
If other, detail:				
2. Medicines re	cords available for inspection?			Y
3. Are records of	complete and correctly entered?			Y
4. Are fish in a v	withdrawal period?			Y
5. If yes, what the	reatment(s)?	Tricane		
If other, detail:				
6. Are medicine	es stored appropriately?			Y
Biosecurity Re	ecords			
1. Biosecurity re	ecords available for inspection?			
2. Has the man	ner and frequency of mortality remova	al, recording an	d safe disposal been considered?	
3. Has the man	ner and period in which the APB will n	otify Scottish M	linisters or veterinary professional of any	
increased (une	explained) mortality at the site been inc	cluded?		
4. Has the actio	on that will be taken in the event that th	ne presence or	suspicion of the presence of a listed	
disease is detec	cted been included and how and whe	n that will be no	otified to Scottish Ministers?	
5. Has the healt	th status of aquaculture animals being	g stocked on the	e farm site been covered (equal or higher	
health status, co	ertification if required)?			
6. Have the hus	sbandry and biosecurity measures imp	plemented betw	een each epidemiological unit to	
minimise transn etc.)?	nission of disease been covered (mov	ement of staff,	visitors, equipment, live or dead fish	
7. Is documenta	ation available regarding the measure	s in place to ma	aintain the physical containment of	
aquaculture ani	mals held on site?			
8. Have the bios	security procedures been adequately	implemented or	n site?	
If no, detail:				
Results of Sur	veillance			
1. Has any anim	nal health surveillance been carried or	ut by, or on beh	alf of, the business?	Y
2. If yes, are res	sults available for inspection?			Y
3. Any significar	nt results?			Y
If yes, detail (if r	not detailed under recent disease prot	blems).	see additional information	
R	Records checked between:	Nov 2022 to	Aug 2023 (movement records since last	sign off)

FHI 059, Version 13				Issued by: FHI		
Case no:	2023-0357	Site No:	FS0629	Date of visi Sampling:	t/ 09/08/2023	09/(
Priority samples:	VI	BA	PA	MG	н	
Time sampling starts/ends:	10:30:00	12:30:00	Inspector:		VMD No.	0
Environmental conditions:	1 Indoors	2	3	4	5	
Summary samples	HIST Y	BA Y	MG Y	VI	PA Total Sa	mples

Add Fish/Pools - click

	Pool/Fish No	F1	F2	F3	F4	F5	F6			
	Fish nos	1	2	3	4	5	6			
	Pool Group									
	Species	SAL	SAL	SAL	SAL	SAL	SAL			
	Average weight	4.3000	4.3000	4.3000	4.3000	4.3000	4.3000			
	Sex	N/A	N/A	N/A	N/A	N/A	N/A			
	Water Type	SW	SW	SW	SW	SW	SW			
stock Details	Stock Origin	a Inchmore	4 Inchmore	» Inchmore	» Inchmore	م Inchmore	Inchmore			
S	Facility No	3	1	8	8	5	1			

)8/2023	Additior	nal Samp	ole Infor	mation:						
6		Total Te	ests ass	igned	9					
1										

FHI 059, Versio	n 13		lssu	ued by:	FHI		Date of issue: 12/05/2				
Case no:	2023-0357		Site No	D:	FS062	9	Method of killing: P			Percus	sive
Date of visit:	09/08/20	23	3 Inspector(s):					5	Sheet R	elevant:	Y
S for strong preser	oce: M for medium presence: W f	or weak pres	anca								
Fish Number		1 1	2	3	4	5	6	1	1		· · · · ·
Time sampled after	er death (if > 45 minutes)	60	60	60	90	90	90				
External Signs											
Behaviour	Moribund	W	W	W	W	W	W				
	Lethargic	S	S	S	S	S	S				
	Hanging vertical										
	Spiralling										
	Flashing										
Body	Dark	s	s								
Bouy	Distended abdomen	5	3								
	Anorexic										
	Scale Oedema										
Opercula	Shortened										
	Flared										
Haemorrhaging	Throat										
	Ventrum	S	S	W	w	S	w				
	Base of fins										
	Elsewhere	S	S	w	w	S	w				
Eyes	Exophthalmic	w									
	Enophthalmic (sunken)										
	Haemorrhagio				w		w				
Gille	Pale	_									
Ollis	Zoned	-									
	Necrotic				М						
Lesions	Flank										
	Elsewhere					S					
Vent	Inflamed										
	Trailing faeces										
Lice Load	Estimate numbers										
Internal Signs											
Ascites	Clear										
Oedeme	Bloody	_									
Vedema	In tissues	_									
nean	Granulomas										
	Deformed	-									
Liver	Petechial haem		S	s	S	S					
-	Gross haem		s	s	s						
	Tissue breakdown										
	Enlarged										
	Colour number(s)	4	7	7	7	3	7				
	Granulomas										
Datasi	Lesions										
Pyloric caeca	Tubulos mouvo										
	Lack of fat										
Spleen	Enlarged						s				
-0.001	Granulomas						1				
Gut	No food present	S	S				S				
	Yellow pseudo-faeces		s								
	External haem										
	Internal haem										
Body wall	Haemorrhaging										
Swim bladder	Haemorrhaging		w								
	Fluid filled		S								
Kidney	Swollen										
	Grey					5					
	Granular										
General	Parasites present										
	Anaemia										

FHI 059, Version 13

Issued	by: FHI
--------	---------

Case no:	2023-0357

Date of visit:

09/08/2023

 ${\bf S}$ for strong presence: ${\bf M}$ for medium presence: ${\bf W}$ for w

E'sh Number			1	1	1	-			1
risn Number									
Time sampled after	r death (if > 45 minutes)								
External Signs									
Behaviour	Moribund								
	Lethargic								
	Hanging vertical								
	Spirolling						-		
	Spiraling					 			
	Flashing								
	Loss of equilibrium								
Body	Dark								
	Distended abdomen								
	Anorexic								
	Scale Oedema								
Opercula	Shortened								
oporoula	Flared								
Heemersheeing	Threat								
Haemorrhaging	Inroat								
	Ventrum								
	Base of fins								
	Elsewhere								
Eyes	Exophthalmic								
	Enophthalmic (sunken)								
	Cataract								
	Haemorrhagic								
Gille	Palo								
GIIIS									
	Zoned								
	Necrotic								
Lesions	Flank								
	Elsewhere								
Vent	Inflamed								
	Trailing faeces								
Lice Load	Estimate numbers								
Internal Signa									
Ascites	Clear								
	Bloody								
Oedema	In tissues								
Heart	Pale/anaemic								
	Granulomas								
	Deformed								
liver	Petechial haem								
	Gross haem								
	Enlarged								
	Colour number(s)								
	Granulomas								
	Lesions								
Pyloric caeca	Petechial haem								
	Tubules mauve								
	Lack of fat								
Snleen	Enlarged								
opicen	Granulomas								
04									
Gut	No food present								
	Yellow pseudo-faeces								
	External haem								
	Internal haem								
Body wall	Haemorrhaging								
Swim bladder	Haemorrhaging								
	Fluid filled								
Kidnev	Swollen								
i diney	Grov								
	Greensler								
	Liquefied								
General	Parasites present								
	Anaemia								

Additional comments:

F1, F2, F3, F5 - eye damage. F1 &F2 - haemorrhaging over external body surface. F3 snout damage. F3 internal adhesions, clumped gills with slight haemorrhaging. F5 - scrubbed / damage to tail with some tail rot and damage on posterior flank - lesion sampled for becteriology and histology. F6 smaller sized fish but in good proportion.

Site No: FS0629

Case No: 2023-0357

Nature of non-compliance:

Action taken (FHI):

Non-compliance relevant to (delete): VirologyMolGen/Bacteriology/Histology/Parasitology

FHI 059, Version 13

MG SAL POX

MG PARA THER

NSIG (isolate c)

NSIG (isolate d)

NSIG (isolate e)

* and emailed 29/08/2023

MG PMCV

23/10/2023

23/10/2023

23/10/2023 23/10/2023

23/10/2023 23/10/2023

2		-						
Case No:	2023-0357	7		Date of vi	sit: 09/08/2	023		
Site No:	FS0629			Inspect	or:			
Results Summary	Freq.				Date of Noti	fication		
		Database	Insp	Phone	Insp	Writing	Insp	2 nd Insp
VSPE (isolate A)	6/6	29/08/2023				23/10/2023	3	
VSPE (isolate B)	2/6	29/08/2023				23/10/2023	3	
EPIT	1/6	29/08/2023				23/10/2023	8	
GPAT	3/6	29/08/2023				23/10/2023	3	
HPAT	6/6	29/08/2023				23/10/2023	8	
CGDH	3/6	29/08/2023				23/10/2023	3	
LPAT	3/6	29/08/2023				23/10/2023	8	
SPAT	3/6	29/08/2023				23/10/2023	3	
MG AGD	1/6	29/08/2023				23/10/2023	3	
MG PRV	2/3	29/08/2023				23/10/2023	3	
MG IHN	0/6	29/08/2023				23/10/2023	8	
MG ISA	0/6	29/08/2023				23/10/2023	3	
MG VHS	0/6	29/08/2023				23/10/2023	8	
MG IPN	2/6	29/08/2023				23/10/2023	3	
MG SAV	1/6	29/08/2023				23/10/2023	3	

Report Summary			
Case Type	Date	Insp	2 nd Insp
DIA	23/10/2023		
case review	27/03/2024		
	+		

1/6

0/6

5/6

1/6

1/6

1/6

29/08/2023

29/08/2023

29/08/2023

14/09/2023

14/09/2023

14/09/2023



FISH HEALTH INSPECTORATE VISIT REPORT

SUMMARY FOR INFORMATION OF SITE OPERATOR

BUSINESS No FB0119 SITE NO FS0629 CASE NO

20230357

DATE OF VISIT 09/08/2023 SITE NAME Poll Na Gille INSPECTOR

Section 1: Summary

A diagnostic investigation was conducted at the Poll Na Gille site following reports of persistent increased mortality of up to 6.14% per week. Six fish were removed and sampled for diagnostic purposes.

Histopathological examination revealed features consistent with mild hyperplasic branchitis. Some features resemble the presence of salmonid alphavirus salmonid alphavirus (SAV) and a positive result for this virus was obtained through real-time PCR (qPCR). Hepatocellular necrosis with haemorrhage and necrotising splenitis and nephritis and bacterial dermatitis were also observed.

Samples collected also revealed positive results through real-time PCR (gPCR) for: piscine reovirus (PRV), salmon gill pox virus, Neoparamoeba perurans (AGD) and Paranucleospora theridion.

Two Vibrio spp. were isolated from the samples taken. The level and purity of growth observed would suggest these bacteria may be implicated in morbidity of one of the six fish sampled, however it does not suggest they are present as primary pathogens overall.

Please contact myself or the duty inspector should you require any further information, have any queries regarding this report or if any problems develop.

Section 2: Case Detail

Observations

A diagnostic investigation was conducted following reports of increased mortality of >1% per week, reported for the previous 6 weeks prior to the inspection. Recent mortality had been attributed to pancreas pisease (PD) as well as some evidence of amoebic gill disease (AGD) and cardio myopathy syndrome (CMS).

Upon inspection of the site multiple moribund and lethargic fish were observed and 6 animals were selected for diagnostic investigation. Clinical and postmortem signs of disease included, dark colouration of the body (F1 & 2), haemorrhaging across the ventrum and external surface of all fish, exophthalmia (F1); haemorrhaging within the eye (F4 & 6); necrosis of the gills (F4); lesion on the tail (F5) which was damaged/scrubbed. Internal observations revealed petechial haemorrhaging across the liver (F2, 3, 4 & 5) with gross haemorrhaging also observed (F2, 3 & 4). The spleen appeared large in size (F6); the gut was absent of food (F1, 2 & 6) with yellow faecal casts present (F2). The swim bladder appeared haemorrhaged and was fluid filled (F2) and the kidney appeared grey in colour (F6).

R09 UKAS accredited testing laboratory No. 1964 Marine Laboratory, 375 Victoria Road, Aberdeen, AB11 9DB Tel - 0131 244 3498 Fax - 0131 244 0944 Email - ms.fishhealth@gov.scot Website - www.gov.scot/Topics/marine/science

Samples

Fish number	Facility number	acility umber Species Stage		Origin
1	Pen 3	Atlantic salmon	2022 Q2 / 4.3 Kg	Inchmore
2	Pen 7	Atlantic salmon	2022 Q2 / 4.3 Kg	Inchmore
3 & 4	Pen 8	Atlantic salmon	2022 Q2 / 4.3 Kg	Inchmore
5	Pen 5	Atlantic salmon	2022 Q2 / 4.3 Kg	Inchmore
6	Pen 1	Atlantic salmon	2022 Q2 / 4.3 Kg	Inchmore

Samples were collected from six fish according to the table below:

<u>Results</u>

Bacteriology: Kidney and gill material from all 6 fish, and lesion material from F5 were inoculated onto appropriate media for the isolation of bacteria.

The following bacteria were isolated from the samples taken:

Vibrio sp. (Isolate A) was isolated from the gills of all 6 fish, the kidney of F1, F3 and F5 and the lesion of F5.

Vibrio sp. (Isolate B) was isolated from kidney of F3 and from both the kidney and lesion of F5.

The level and purity of growth observed would suggest these bacteria may be implicated in morbidity of fish 5 however it does not suggest they are present as primary pathogens overall.

No growth which matched the characteristics of *Piscirickettsia salmonis* was observed on 4/4 blood agar salt or 5/5 CHAB plates taken from kidney material.

Virology: Tissue samples were tested for segments of nucleic acid indicative of the presence of the pathogens specified below using real-time PCR (qPCR).

Fish Number	Endogenous control Cp value	Cp Values			Reported Result (PCR)
F1	17.49	21.16	21.25	20.45	POSITIVE
F2	17.36	26.13	26.11	26.02	POSITIVE
F3		-	-	-	NEGATIVE
F4		-	-	-	NEGATIVE
F5		-	-	-	NEGATIVE
F6		-	-	-	NEGATIVE

Infectious pancreatic necrosis virus (IPNV)

Salmonid alphavirus (SAV)

Fish Number	Endogenous control Cp value		Cp Values	Reported Result (PCR)	
F1		-	-	-	NEGATIVE
F2		-	-	-	NEGATIVE
F3		-	-	-	NEGATIVE
F4		-	-	-	NEGATIVE
F5		-	-	-	NEGATIVE
F6	18.69	34.67	34.83	34.69	POSITIVE

Piscine reovirus (PRV)

Fish Number	Endogenous control Cp value		Cp Values	Reported Result (PCR)	
F1	15.44	35.06	36.79	35.47	POSITIVE
F3	15.58	33.43	32.99	32.58	POSITIVE
F6		-	-	-	NEGATIVE

Salmon gill poxvirus

Fish Number	Endogenous control Cp value		Cp Values	Reported Result (PCR)	
F1		-	-	-	NEGATIVE
F2		-	-	-	NEGATIVE
F3	22.13	25.09	25.14	25.49	POSITIVE
F4		-	-	-	NEGATIVE
F5		-	-	-	NEGATIVE
F6		-	-	-	NEGATIVE

The samples tested negative for infectious haematopoietic necrosis virus (IHNV), infectious salmon anaemia virus (ISAV), viral haemorrhagic septicemia virus (VHSV) and piscine myocarditis virus (PMCV).

Parasitology:

Tissue samples were tested for segments of nucleic acid indicative of the presence of the parasites *Neoparamoeba perurans* (AGD) and *Paranucleospora theridion* using real-time PCR (qPCR).

Fish Number	Endogenous control Cp value	Cp Values			Reported Result (PCR)
F1		-	-	-	NEGATIVE
F2		-	-	-	NEGATIVE
F3	22.13	30.82	30.89	30.85	POSITIVE
F4		-	-	-	NEGATIVE
F5		-	-	-	NEGATIVE
F6		-	-	-	NEGATIVE

Neoparamoeba perurans (AGD)

Fish Number	Endogenous control Cp value	Cp Values			Reported Result (PCR)
F1	22.33	36.54	37.38	37.25	POSITIVE
F2	22.12	38.04	38.28	37.85	POSITIVE
F3	22.13	31.76	31.74	31.75	POSITIVE
F4	22.00	37.92	37.71	36.97	POSITIVE
F5	21.93	36.88	37.67	36.79	POSITIVE
F6		_	-	-	NEGATIVE

Paranucleospora theridion

Histology: Tissue samples of gill, skin and skeletal muscle, heart, pyloric caeca, pancreas, hind gut, liver, spleen and kidney were taken from all six fish. The tissue samples were fixed in 10% neutral buffered formalin before being examined by light microscopy.

The following histopathological changes were observed:

<u>Gill:</u> Lamellar hyperplasia, very mild to mild, multifocal (F1, F3, F4) with haemorrhage, lamellar necrosis and vascular disturbance (F3, F4), few plankton-like structures observed among gill filaments (F1). Few basophilic epithelial inclusions (likely epitheliocystis) (F3). Some cartilage metaplasia observed in F4. Some aneurysmal dilation/telangiectasia (F1) and free blood among gill filament (F4). Post-mortem artefacts observed on F5.

<u>Skin & Muscle:</u> Skeletal red muscle myositis, mild, multifocal (F1) and skeletal white muscle myositis, mild, multifocal (F3) and in F6 observed in both skeletal muscles. F5 lesion: bacterial dermatitis, mild to marked, Gram-negative bacteria (F5).

<u>Heart:</u> Myocarditis, minor, multifocal (F1, F2, F3, F4, F6). Some thrombi nests (F1), epicarditis (F1-F4, F5). F2, F4: No atrium present.

<u>Gut and pyloric caeca</u>: Mild to marked cell sloughing (potentially associated with post-mortem artefact) observed in F2, F3, F4.

Pancreas: Within the normal range.

Liver: Hepatocellular necrosis with haemorrhage, mild, multifocal(F3), mild, diffuse, hepatocellular vacuolation (macrovesicles) (F2, F4).

<u>Kidney:</u> Interstitial cell (haemopoietic) necrosis, mild, multifocal to diffuse (F2, F3, F4, F5) with haemorrhage (F4). Some renal tubular dilation and shrunken glomeruli (F3).

<u>Spleen:</u> Necrotising splenitis, multifocal to diffuse (F3, F5). Some cuffing (F3), sightly congested (F6).

Brain: Not sampled.

Eye: Not sampled.

Signed:



Date: 20 October 2023

Fish Health Inspector

The Fish Health Inspectorate Service Charter detailing standards of service is available on the Scottish Government website at Fish Health Inspectorate Service Charter - gov.scot (www.gov.scot)